

Golchert J, **Roehr S**, Luck T, Wagner M, Fuchs A, Wiese B, van den Bussche H, Brettschneider C, Werle J, Bickel H, Pentzek M, Oey A, Eisele M, König HH, Weyerer S, Mösch E, Maier W, Scherer M, Heser K, Riedel-Heller SG (2019). Women outperform men in verbal episodic memory even in oldest-old age – 13-year longitudinal results of the AgeCoDe/AgeQualiDe study. *Journal of Alzheimer's Disease. [in press]*

Roehr S, Riedel-Heller SG, Kaduszkiewicz H, et al. (2019). Is function in instrumental activities of daily living a useful feature in predicting Alzheimer's disease dementia in subjective cognitive decline? *International Journal of Geriatric Psychiatry, 34(1)*, 193-203.

Golchert J*, **Roehr S***, Berg F, Grochtdreis T, Hoffmann R, Jung F, Nagl M, Plexnies A, Renner A, König HH, Kersting A, Riedel-Heller SG (2019). HELP@APP: development and evaluation of a self-help app for traumatized Syrian refugees in Germany – a study protocol of a randomized controlled trial. *BMC Psychiatry, 19*, 131.

*shared first authorship

Brettschneider C, Hajek A, **Roehr S**, Fuchs A, Weeg D, Mamone S, Werle J, Heser K, Mallon T, Stein J, Pentzek M, Bickel H, Wiese B, Weyerer S, Wagner M, van den Bussche H, Maier W, Scherer M, Riedel-Heller SG, König HH (2019). Determinants of health-care costs in the oldest-old in Germany. *The Journal of the Economics of Ageing, 14*, 100200.

Welzel FD, Stein J, **Roehr S**, Fuchs A, Pentzek M, Mösch E, Bickel H, Weyerer S, Werle J, Wiese B, Oey A, Hajek A, König HH, Heser K, Kleineidam L, van den Bussche H, van der Leeden C, Maier W, Scherer M, Wagner M, Riedel-Heller SG (2019). Prevalence of anxiety symptoms and their association with loss experience in a large cohort sample of the oldest-old. Results of the AgeCoDe/AgeQualiDe study. *Frontiers in Psychiatry; fpsy.2019.00285*.

Hussenroeder FS, Conrad I, **Roehr S**, Glaesmer H, Hinz A, Enzenbach C, Engel C, Witte V, Schroeter ML, Loeffler M, Thiery J, Villringer A, Riedel-Heller SG, Rodriguez FS (2019). The Association between Mental Demands at the Workplace and Cognitive Functioning: the Role of the Big Five Personality Traits. *Aging and Mental Health. [in press]*

Hohls JK, König HH, van den Bussche H, Eisele M, Wiese B, Oey A, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, **Roehr S**, Mösch E, Bickel H, Heser K, Miebach L, Scherer M, Maier W, Riedel-Heller SG, Hajek A (2019). Association of anxiety symptoms with health care use and costs in people aged 85 and over. *International Journal of Geriatric Psychiatry, 34(5)*; 765-776.

Heser K, Kleineidam L, Wiese B, Oey A, **Roehr S**, Pabst A, Kaduszkiewicz H, van den Bussche H, Brettschneider C, König HH, Weyerer S, Werle J, Fuchs A, Pentzek M, Mösch E, Bickel H, Maier W, Scherer M, Riedel-Heller SG, Wagner M (2019). Subjective Cognitive Decline May Be a Stronger Predictor of Incident Dementia in Women than in Men. *Journal of Alzheimer's Disease, 68(4)*, 1469-1478. IF = 3.5

Hajek A, Brettschneider C, Eisele M, van den Bussche H, Wiese B, Mamone S, Weyerer S, Werle J, Leve V, Pentzek M, **Roehr S**, Stein J, Bickel H, Mösch E, Heser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH; AgeCoDe and AgeQualiDe Study Group (2019). Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. *Archives of Gerontology and Geriatrics, 82*, 245-250. IF = 2.2

Welzel FD, Stein J, **Roehr S**, Fuch A, Pentzek M, Mösch E, Bickel H, Weyerer S, Werle J, Wiese B, Oey A, Hajek A, König HH, Heser K, Kleineidam L, van den Bussche H, van den Leeden C, Maier W, Scherer M, Wagner M, Riedel-Heller SG (2019). Prevalence of anxiety symptoms and their association with loss experience in a large cohort sample of the oldest-old. Results of the AgeCoDe/AgeQualiDe study. *Frontiers in Psychiatry, 10*, 285.

Mallon T, Ernst A, Brettschneider C, König HH, Luck T, **Röhr S**, Weyerer S, Werle J, Mösch E, Weeg D, Fuchs A, Pentzek M, Kleineidam L, Heser K, Riedel-Heller S, Maier W, Wiese B, Scherer M; AgeCoDe & AgeQualiDe study group (2018). Prevalence of pain and its associated factors among the oldest-olds in different care settings - Results of the AgeQualiDe study. *BMC Family Practice*, 19(1), 85.

Roehr S*, Pabst A*, Luck T, Riedel-Heller SG (2018). Is dementia incidence declining in high-income countries? A systematic review and meta-analysis. *Clinical Epidemiology*, 10, 1233-1247.

*shared first authorship

Fischer K, Melo van Lent D, Wolfsgruber S, Weinhold L, Kleineidam L, Bickel H, Scherer M, Eisele M, van den Bussche H, Wiese B, König HH, Weyerer S, Pentzek M, **Röhr S**, Maier W, Jessen F, Schmid M, Riedel-Heller SG, Wagner M (2018). Prospective associations between single foods, Alzheimer's dementia and memory decline in the elderly. *Nutrients*, 10(7): E852.

Kleineidam L, Thoma MV, Maercker A, Bickel H, Mösch E, Hajek A, König HH, Eisele M, Mallon T, Luck T, **Röhr S**, Weyerer S, Werle J, Pentzek M, Fuchs A, Wiese B, Mamone S, Scherer M, Maier W, Riedel-Heller SG, Wagner M (2018). What is Successful Aging? A Psychometric Validation Study of Different Definitions. *The Journals of Gerontology: Series B*. doi: 10.1093/geront/gny083 [Epub ahead of print].

Slot RER, Sikkes SAM, Berkhof J, Brodaty H, Buckley R, Guillo-Benarous F, Hampel H, Kochan N, Lista S, Luck T, Maruff P, Molinuevo JL, Kornhuber J, Reisberg B, Riedel-Heller SG, Risacher SL, **Roehr S**, Sachdev P, Scarmeas N, Scheltens P, Shulman MB, Saykin AJ, Verfaillie SCJ, Visser JP, Vos SJB, Wagner M, Wolfsgruber S, Jessen F, van der Flier WM (2019). Subjective cognitive decline and rates of progression to AD and non-AD dementia. *Alzheimer's and Dementia*, 15(3), 465-476.

Luck T, **Roehr S**, Rodriguez FS, Schroeter ML, Witte AV, Hinz A, Mehnert A, Engel C, Loeffler M, Thiery J, Villringer A, Riedel-Heller SG (2018). Memory-related subjective cognitive symptoms in the adult population: prevalence and associated factors - results of the LIFE-Adult-Study. *BMC Psychology*, 6(1), 23.

Stein J, **Roehr S**, Luck T, Löbner M, Riedel-Heller SG (2018). Indikationen und Evidenz von international entwickelten Online-Coaches zur Intervention bei psychischen Erkrankungen – ein Meta-Review. *Psychiatrische Praxis*, 45(1), 7-15.

Roehr S, Luck T, Pabst A, Bickel H, König HH, Lühmann D, Fuchs A, Wolfsgruber S, Wiese B, Weyerer S, Mösch E, Brettschneider C, Posselt T, Pentzek M, Wagner M, Mamone S, Werle J, Scherer M, Maier W, Jessen F, Riedel-Heller SG, for the AgeCoDe study group (2017). Subjective cognitive decline is longitudinally associated with lower health-related quality of life. *International Psychogeriatrics**, 29(12), 1939-1950.

*awarded "paper of the month"

Roehr S, Stein J, Luck T, Riedel-Heller SG (2017). Internetbasierte Interventionen: Das bieten Krankenkassen an. *Psychiatrische Praxis*, 44, 476-483.

Heser K, Luck T, **Roehr S**, Wiese B, Kaduszkiewicz H, Oey A, Bickel H, Mösch E, Weyerer S, Werle J, Brettschneider C, König HH, Fuchs A, Pentzek M, van den Bussche H, Scherer M, Maier W, Riedel-Heller SG, Wagner M (2017): Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. *Journal of Affective Disorders*, 226, 28-35.

Roehr S, Pabst A, Luck T, Riedel-Heller SG (2017). Secular trends in the incidence of dementia in high income countries: protocol of a systematic review and a planned meta-

analysis. *BMJ Open*, 7(4), e013630.

Roehr S, Luck T, Villringer A, Angermeyer MC, Riedel-Heller SG (2017). Subjektiver kognitiver Abbau und Demenzentwicklung – Ergebnisse der Leipziger Langzeitstudie in der Altenbevölkerung (LEILA75+). *Psychiatrische Praxis*, 44, 47–49.

Roehr S, Villringer A, Angermeyer MC, Luck T, Riedel-Heller SG (2016). Outcomes of stable and unstable patterns of subjective cognitive decline – Results from the Leipzig Longitudinal Study of the Aged (LEILA75+). *BMC Geriatrics*, 16, 1–8.

Klein JP, Gerlinger G, Knaevelsrud C, Bohus M, Meisenzahl E, Kersting A, **Roehr S**, Riedel-Heller SG, Sprick U, Dirmaier J, Härter M, Hegerl U, Hohagen F, Hauth I (2016). Internetbasierte Interventionen in der Behandlung psychischer Störungen. Überblick, Qualitätskriterien, Perspektiven. *Der Nervenarzt*, 87(11), 1185–1193.

Luck T, Riedel-Heller SG, **Roehr S**, Wiese B, van der Leeden C, Heser K, Bickel H, Pentzek M, König HH, Werle J, Mamone S, Posselt T, Wolfsgruber S, Weeg D, Fuchs A, Brettschneider C, Scherer M, Maier W, Weyerer S; for the AgeCoDe study group (2016). Mortality in incident cognitive impairment – Results of the prospective AgeCoDe study. *Journal of the American Geriatrics Society*, 65(4), 738–746.

Roehr S, Luck T, Heser K, Fuchs A, Ernst A, Wiese B, Werle J, Bickel H, Brettschneider C, Koppara A, Pentzek M, Lange C, Prokein J, Weyerer S, Mösch E, König HH, Maier W, Scherer M, Jessen F, Riedel-Heller SG, for the AgeCoDe study group (2016). Incident subjective cognitive decline does not predict mortality in the elderly – results from the longitudinal German study on Ageing, Cognition, and Dementia (AgeCoDe). *PloS ONE*, 11(1): e0147050.

Roehr S, Luck T, Bickel H, Brettschneider C, Ernst A, Fuchs A, Heser K, König HH, Jessen F, Lange C, Mösch E, Pentzek M, Steinmann S, Weyerer S, Werle J, Wiese B, Scherer M, Maier W, Riedel-Heller SG, for the AgeCoDe study group (2015). Mortality in incident dementia – results from the German Study on Ageing, Cognition, and Dementia in Primary Care Patients. *Acta Psychiatrica Scandinavica*, 132(4):257–269.

Luck T, **Roehr S**, Jessen F, Villringer A, Angermeyer MC, Riedel-Heller SG (2015). Mortality in individuals with subjective cognitive decline – Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). *Journal of Alzheimer's Disease*, 48(S1):S33–42.

Roehr S, Dölemeyer R, Klinitzke G, Steinig J, Wagner B, Kersting A (2015). Kindesmisshandlung bei Binge Eating Störung. *Psychiatrische Praxis*, 42, 125–132.

Varia

Roehr S, Riedel-Heller SG (2016). *Evidenz- und Versorgungssituation durch Online-Coaches zur Intervention bei körperlichen und psychischen Erkrankungen*. Forschungsbericht im Auftrag des AOK Bundesverbandes. Berlin: AOK Bundesverband.

Roehr S (2015). *Depression and posttraumatic stress disorder among Thai institutionalized children and adolescents*. Forschungsbericht für Hanseatic School for Life, Thung Maphrao, Phangnga, Thailand.