

# Publikationsverzeichnis (Stand: November 2022)

## Originalarbeiten

### 2022

Zülke, A. E., Lupp, M., Köhler, S., Riedel-Heller, S.G. Knowledge of risk and protective factors for dementia in older German adults A population-based survey on risk and protective factors for dementia and internet-based brain health interventions. *PLoS One*. 2022 Nov 7;17(11):e0277037. doi: 10.1371/journal.pone.0277037. PMID: 36342935; PMCID: PMC9639821.

Kleineidam, L., Wagner, M., Guski, J., Wolfsgruber, S., Miebach, L., Bickel, H., König, H. H., Weyerer, S., Lühmann, D., Kaduszkiewicz, H., Lupp, M., Röhr, S., Pentzek, M., Wiese, B., Maier, W., Scherer, M., Kornhuber, J., Peters, O., Frölich, L., Wiltfang, J., Lewczuk, P., Hüll, M., Ramirez, A., Jessen, F., Riedel-Heller, S. G., Hesper, K.. Disentangling the relationship of subjective cognitive decline and depressive symptoms in the development of cognitive decline and dementia. *Alzheimers Dement*. 2022 Oct 11. doi: 10.1002/alz.12785. Epub ahead of print. PMID: 36218120.

Wendel, F., Bauer, A., Blotenberg, I., Brettschneider, C., Buchholz, M., Czock, D., Döhring, J., Escales, C., Frese, T., Hoffmann, W., Kaduszkiewicz, H., König, H. H., Löbner, M., Lupp, M., Schwenker, R., Thyrian, J. R., Weißenborn, M., Wiese, B., Zöllinger, I., Riedel-Heller, S. G., Gensichen, J. Social Network and Participation in Elderly Primary Care Patients in Germany and Associations with Depressive Symptoms-A Cross-Sectional Analysis from the AgeWell.de Study. *J Clin Med*. 2022 Oct 8;11(19):5940. doi: 10.3390/jcm11195940. PMID: 36233810; PMCID: PMC9572848.

Pazan, F., Breunig, H., Weiss, C., Röhr, S., Lupp, M., Pentzek, M., Bickel, H., Weeg, D., Weyerer, S., Wiese, B., König, H. H., Brettschneider, C., Hesper, K., Maier, W., Scherer, M., Riedel-Heller, S., Wagner, M., Wehling, M.. Higher FORTA (Fit FOR The Aged) scores are associated with poor functional outcomes, dementia, and mortality in older people. *Eur J Clin Pharmacol*. 2022 Nov;78(11):1851-1859. doi: 10.1007/s00228-022-03389-w. Epub 2022 Sep 27. PMID: 36167853; PMCID: PMC9546968.

Zwar, L., König, H. H., van der Leeden, C., Lühmann, D., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Lupp, M., Löbner, M., Weeg, D., Mösch, E., Hesper, K., Wagner, M., Maier, W., Riedel-Heller, S. G., Scherer, M., Hajek, A.. Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy? *Aging Ment Health*. 2022 Sep;26(9):1862-1873. doi: 10.1080/13607863.2021.1955824. Epub 2021 Aug 2. PMID: 34338096.

Jung, F. U., Bodendieck, E., Hussenoeder, F. S., Lupp, M., Riedel-Heller, S. G.. It's about time - Associations between working time dimensions and well-being of physicians. *Chronobiol Int*. 2022 Sep;39(9):1297-1305. doi: 10.1080/07420528.2022.2101372. Epub 2022 Jul 19. PMID: 35854660.

Buczak-Stec, E. W., Hajek, A., Pabst, A., Brettschneider, C., van den Bussche, H., Wiese, B., Weyerer, S., Werle, J., Hoell, A., Pentzek, M., Fuchs, A., Luppá, M., Löbner, M., Stein, J., Förster, F., Weeg, D., Mösch, E., Hesel, K., Scherer, M., Maier, W., Angermeyer, M. C., Wagner, M., Riedel-Heller, S. G., König, H. H.. Frequency and gender differences in the use of professional home care in late life. Findings from three German old-age cohorts. *Front Med (Lausanne)*. 2022 Sep 2;9:924818. doi: 10.3389/fmed.2022.924818. PMID: 36117967; PMCID: PMC9478461.

Gerhards, S. K., Pabst, A., Röhr, S., Luppá, M., Riedel-Heller, S.G.. Coping with stress during the COVID-19 pandemic in the oldest-old population. *Eur J Ageing*. 2022 Aug 11:1-10. doi: 10.1007/s10433-022-00719-w. Epub ahead of print. PMID: 35971386; PMCID: PMC9366125.

Funke K, Bernard M, Luppá M, Riedel-Heller SG, Luck T. Alltagsbeeinträchtigungen bei neurokognitiven Störungen : Entwicklung eines differenzierten Erfassungsinstrumentes für Forschung und Praxis [Impaired activities of daily living in neurocognitive disorders : Development of a complex assessment for research and practice]. *Nervenarzt*. 2022 Aug;93(8):840-843. German. doi: 10.1007/s00115-021-01257-z. Epub 2022 Jan 10. PMID: 35006296; PMCID: PMC9363366.

Hussenoeder, F. S., Conrad, I., Pabst, A., Luppá, M., Stein, J., Engel, C., Zachariae, S., Zeynalova, S., Yahiaoui-Doktor, M., Glaesmer, H., Hinz, A., Witte, V., Wichmann, G., Kirsten, T., Löffler, M., Villringer, A., Riedel-Heller, S. G.. Different Areas of Chronic Stress and Their Associations with Depression. *Int J Environ Res Public Health*. 2022 Jul 19;19(14):8773. doi: 10.3390/ijerph19148773. PMID: 35886625; PMCID: PMC9315834.

Maier, A., Durrant-Finn, C., Pabst, A., Löbner, M., Eisele, M., Brettschneider, C., Hesel, K., Kleineidam, L., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Weeg, D., Mösch, E., Wiese, B., Oey, A., van den Bussche, H., König, H. H., Wagner, M., Maier, W., Riedel-Heller, S. G., Scherer, M., Luppá, M.. Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. *J Affect Disord*. 2022 Jul 1;308:494-501. doi: 10.1016/j.jad.2022.04.081. Epub 2022 Apr 20. PMID: 35460748.

Hajek A, Brettschneider C, Mallon T, Kaduszkiewicz H, Oey A, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Conrad I, Luppá M, Weeg D, Mösch E, Kleineidam L, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH. Social support and health-related quality of life among the oldest old - longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. *Qual Life Res*. 2022 Jun;31(6):1667-1676. doi: 10.1007/s11136-021-03070-2. Epub 2021 Dec 22. PMID: 34939147; PMCID: PMC9098616.

Weitzel EC, Pabst A, Luppá M, Kersting A, König HH, Löbner M, Riedel-Heller SG. Are self-managed online interventions for depression effective in improving behavioral activation? A secondary analysis of a cluster-randomized controlled trial. *J Affect Disord*. 2022 Jul 1;308:413-420. doi: 10.1016/j.jad.2022.04.090. Epub 2022 Apr 20.

Grothe, J., Röhr, S., Luppá, M., Pabst, A., Kleineidam, L., Hesel, K., Fuchs, A., Pentzek, M., Oey, A., Wiese, B., Lühmann, D., van den Bussche, H., Weyerer, S., Werle, J., Weeg, D., Bickel, H., Scherer, M., König, H. H., Hajek, A., Wagner, M., Riedel-

Heller, S. G.. Social Isolation and Incident Dementia in the Oldest-Old-A Competing Risk Analysis. *Front Psychiatry*. 2022 Jun 10;13:834438. doi: 10.3389/fpsyt.2022.834438. PMID: 35757202; PMCID: PMC9226337.

Löbner M, Stein J, Luppä M, Bleckwenn M, Mehnert-Theuerkauf A, Riedel-Heller SG. What Comes after the Trial? An Observational Study of the Real-World Uptake of an E-Mental Health Intervention by General Practitioners to Reduce Depressive Symptoms in Their Patients. *Int J Environ Res Public Health*. 2022 May 19;19(10):6203. doi: 10.3390/ijerph19106203. PMID: 35627739; PMCID: PMC9142114.

Grothe, J., Luppä, M., Dietzel, J., Schomerus, G., Sommerlad, A., Riedel-Heller, S. G., Röhr, S.. Psychometric Evaluation of the German Version of the Social Functioning in Dementia Scale (SF-DEM). *J Alzheimers Dis*. 2022 Apr 5;86(3):1231-1241. doi: 10.3233/JAD-215557. PMID: 35180127.

Jung FU, Bodendieck E, Bleckwenn M, Hussenöder F, Luppä M, Riedel-Heller SG. Renteneintrittswünsche und mögliche Determinanten bei Hausärztinnen und Hausärzten [Views on Retirement by General Practitioners]. *Gesundheitswesen*. 2022 Mar 25. German. doi: 10.1055/a-1773-0655. Epub ahead of print. Erratum in: *Gesundheitswesen*. 2022 Sep 06;: PMID: 35338478.

Jung FU, Bodendieck E, Bleckwenn M, Hussenöder F, Luppä M, Riedel-Heller SG. Renteneintrittswünsche und mögliche Determinanten bei Hausärztinnen und Hausärzten [Views on Retirement by General Practitioners]. *Gesundheitswesen*. 2022 Mar 25. German. doi: 10.1055/a-1773-0655. Epub ahead of print. Erratum in: *Gesundheitswesen*. 2022 Sep 06;: PMID: 35338478.

Buczak-Stec, E. W., Hajek, A., van den Bussche, H., Eisele, M., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Luppä, M., Löbner, M., Weeg, D., Mösch, E., Hesper, K., Wagner, M., Riedel-Heller, S. G., Maier, W., Scherer, M., König, H. H. Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. *Front Med (Lausanne)*. 2022 Mar 21;9:815419. doi: 10.3389/fmed.2022.815419. PMID: 35386909; PMCID: PMC8977578.

Cardona, M. I., Weißenborn, M., Zöllinger, I., Kroeber, E. S., Bauer, A., Luppä, M., Pabst, A., Czock, D., König, H. H., Wiese, B., Gensichen, J., Frese, T., Kaduszkiewicz, H., Hoffmann, W., Riedel-Heller, S. G., Thyrian, J. R.. Physical Activity Determinants in Older German Adults at Increased Dementia Risk with Multimorbidity: Baseline Results of the AgeWell.de Study. *Int J Environ Res Public Health*. 2022 Mar 8;19(6):3164. doi: 10.3390/ijerph19063164. PMID: 35328854; PMCID: PMC8951006.

Hajek, A., Buczak-Stec, E., van den Bussche, H., Eisele, M., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Luppä, M., Pabst, A., Weeg, D., Bickel, H., Kleineidam, L., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H. H.. Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. *Gerontology*. 2022;68(8):894-902. doi: 10.1159/000519709. Epub 2021 Nov 10. PMID: 34758462.

## 2021

Jung, F., Bodendieck, E., Bleckwenn, M., Hussenöder, F., Lupp, M., & Riedel-Heller, S. G. (2021). Workload, Work Engagement and Job Size—How Physicians' Decision to Work Less Is Influenced by the Work-Related State of Mind.

Lammer, L., Beyer, F., Lupp, M., Sander, C., Baber, R., Engel, C., ... & Witte, V. (2021). Social isolation and the aging brain. Social isolation is linked to declining grey matter structure and cognitive functions in the LIFE-Adult panel study. medRxiv.

Welzel, F. D., Lupp, M., Pabst, A., Pentzek, M., Fuchs, A., Weeg, D., ... & Riedel-Heller, S. G. (2021). Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. *International journal of environmental research and public health*, 18(23), 12786.

Lupp, M., & Riedel-Heller, S. G. (2021). Carers' distress. *International Psychogeriatrics*, 33(4), 311-313.

Neubert, L., König, H. H., Löbner, M., Lupp, M., Pentzek, M., Fuchs, A., ... & Brettschneider, C. (2021). Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. *The Journal of the Economics of Ageing*, 20, 100346.

Hajek A, Brettschneider C, Mallon T, Kaduszkiewicz H, Oey A, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Conrad I, Lupp M, Weeg D, Mösch E, Kleineidam L, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH. Social support and health-related quality of life among the oldest old - longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. *Qual Life Res*. 2021 Dec 22. doi: 10.1007/s11136-021-03070-2. Epub ahead of print. PMID: 34939147.

Franziska D. Welzel, Margrit Löbner, Janine Quittschalle, Alexander Pabst, Melanie Lupp, Janine Stein, Steffi G. Riedel-Heller, Loss and bereavement in late life (60+): Study protocol for a randomized controlled trial regarding an internet-based self-help intervention, *Internet Interventions*, Volume 26, 2021

Hajek A, Buczak-Stec E, van den Bussche H, Eisele M, Oey A, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Lupp M, Pabst A, Weeg D, Bickel H, Kleineidam L, Wagner M, Scherer M, Maier W, Riedel-Heller S, G, König H, -H: Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. *Gerontology* 2021. doi: 10.1159/000519709

Zülke, A.E., Lupp, M., Röhr, S. et al. Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. *BMC Geriatr* 21, 688 (2021). <https://doi.org/10.1186/s12877-021-02653-5>

Maier A, Riedel-Heller SG, Pabst A, Lupp M (2021) Risk factors and protective factors of depression in older people 65+. A systematic review. *PLOS ONE* 16(5): e0251326. <https://doi.org/10.1371/journal.pone.0251326>

Zuelke AE, Riedel-Heller SG, Wittmann F, Pabst A, Roehr S, Lupp M. Gender-specific design and effectiveness of non-pharmacological interventions against cogni-

tive decline and dementia-protocol for a systematic review and meta-analysis. PLoS One. 2021 Aug 27;16(8):e0256826. doi: 10.1371/journal.pone.0256826. PMID: 34449834; PMCID: PMC8396713.

Quittschalle J, Pabst A, Löbner M, Luppa M, Hesper K, Wagner M, van den Bussche H, Hajek A, König HH, Wiese B, Angermeyer MC, Maier W, Scherer M, Riedel-Heller SG. Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. *Int J Environ Res Public Health*. 2021 Jul 28;18(15):7959.

Zwar L, König HH, van der Leeden C, Lühmann D, Oey A, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Luppa M, Löbner M, Weeg D, Mösch E, Hesper K, Wagner M, Maier W, Riedel-Heller SG, Scherer M, Hajek A. Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy? *Aging Ment Health*. 2021 Aug 2:1-12.

Bär J, Pabst A, Röhr S, Luppa M, Renner A, Nagl M, Dams J, Grochtdreis T, Kersting A, König HH, Riedel-Heller SG. Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. *Front Psychiatry*. 2021 Jul 13;12:642618.

Förster F, Luppa M, Pabst A, Hesper K, Kleineidam L, Fuchs A, Pentzek M, Kaduszkiewicz H, van der Leeden C, Hajek A, König HH, Oey A, Wiese B, Mösch E, Weeg D, Weyerer S, Werle J, Maier W, Scherer M, Wagner M, Riedel-Heller SG. The Role of Social Isolation and the Development of Depression. A Comparison of the Widowed and Married Oldest Old in Germany. *Int J Environ Res Public Health*. 2021 Jun 29;18(13):6986.

Maier A, Riedel-Heller SG, Pabst A, Luppa M. Risk factors and protective factors of depression in older people 65+. A systematic review. *PLoS One*. 2021 May 13;16(5):e0251326. doi: 10.1371/journal.pone.0251326.

Welzel FD, Bär J, Stein J, Löbner M, Pabst A, Luppa M, Grochtdreis T, Kersting A, Blüher M, Luck-Sikorski C, König HH, Riedel-Heller SG. Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. *BMC Fam Pract*. 2021 Apr 2;22(1):61.

Hajek A, Luppa M, Brettschneider C, van der Leeden C, van den Bussche H, Oey A, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Löbner M, Stein J, Weeg D, Bickel H, Hesper K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH. Correlates of institutionalization among the oldest old-Evidence from the multicenter AgeCoDe-AgeQualiDe study. *Int J Geriatr Psychiatry*. 2021 Jul;36(7):1095-1102.

Hajek A, Brettschneider C, Mallon T, Kaduszkiewicz H, Wiese B, Oey A, Weyerer S, Werle J, Pentzek M, Fuchs A, Röhr S, Luppa M, Weeg D, Bickel H, Hesper K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH. Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe-AgeQualiDe Study. *Gerontology*. 2021 Feb 17:1-8.

Leve V, Pentzek M, Fuchs A, Bickel H, Weeg D, Weyerer S, Werle J, König HH, Hajek A, Luhmann D, van den Bussche H, Wiese B, Oey A, Hesel K, Wagner M, Luppa M, Röhr S, Maier W, Scherer M, Kaduszkiewicz H, Riedel-Heller S. (2021). GPs' awareness of car driving among oldest patients - exploratory results from a primary care cohort. *BJGP Open*, Jan 25 (4,190)

Röhr S, Zülke A, Luppa M, Brettschneider C, Weißenborn M, Kühne F, Zöllinger I, Samos FZ, Bauer A, Döhning J, Krebs-Hein K, Oey A, Czock D, Frese T, Gensichen J, Haefeli WE, Hoffmann W, Kaduszkiewicz H, König HH, Thyrian JR, Wiese B, Riedel-Heller SG. (2021). Recruitment and Baseline Characteristics of Participants in the AgeWell.de Study-A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. *Int J Environ Res Public Health*, Jan 7;18: 408. (2,849)

## 2020

Hajek A, Brettschneider C, Eisele M, Kaduszkiewicz H, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Weeg D, Mösch E, Hesel K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH; AgeCoDe and AgeQualiDe Study Group. (2020). Correlates of hospitalization among the oldest old: results of the AgeCoDe-AgeQualiDe prospective cohort study. *Aging Clin Exp Res*. Jul; 32: 1295-1301. (2,697)

Schladitz K, Förster F, Löbner M, Welzel F, Stein J, Luppa M, Riedel-Heller SG. (2020). Grief and loss in elderly people: A qualitative study regarding the user acceptance of an internet-based self-help program from user and expert perspective. *Z Evid Fortbild Qual Gesundhwes*, Apr; 150-152: 112-123.

Pabst A, Löbner M, Stein J, Luppa M, Kersting A, König HH, Riedel-Heller SG. (2020). Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. *Front Psychiatry*, Jul 24; 11: 735. (3,532)

Luppa M, Giersdorf J, Riedel-Heller S, Prütz F, Rommel A. (2020). Frequent attenders in the German healthcare system: determinants of high utilization of primary care services. Results from the cross-sectional German health interview and examination survey for adults (DEGS). *BMC Fam Pract*, Jan 13; 21: 10. (2,022)

Schwenke M, Luppa M, Pabst A, Welzel FD, Löbner M, Luck-Sikorski C, Kersting A, Blüher M, Riedel-Heller SG. (2020). Attitudes and treatment practice of general practitioners towards patients with obesity in primary care. *BMC Fam Pract*, Aug 17; 21: 169. (2,022)

Hajek A, Brettschneider C, Mallon T, Lühmann D, Oey A, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Röhr S, Luppa M, Mösch E, Weeg D, Hesel K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH. (2020). Depressive Symptoms and Frailty Among the Oldest Old: Evidence from a Multicenter Prospective Study. *J Am Med Dir Assoc*, Nov 19; S1525-8610. (4,367)

Hesel K, Stein J, Luppa M, Wiese B, Mamone S, Weyerer S, Werle J, König HH, Hajek A, Scherer M, Stark A, Kaduszkiewicz H, Maier W, Riedel-Heller SG, Wagner M. (2020). Late-Life Depressive Symptoms Are Associated With Functional Impair-

ment Cross-sectionally and Over Time: Results of the AgeMooDe Study. *J Gerontol B Psychol Sci Soc Sci*, Mar 9; 75: 811-820. (3,502)

Luppa M, Löbner M, Pabst A, Schlapke C, Stein J, Riedel-Heller SG. (2020). Effectiveness and feasibility of internet-based and mobile-based interventions for individuals experiencing bereavement: a systematic review protocol. *BMJ Open*, Apr 22; 10: e036034. (2,496)

Quittschalle J, Stein J, Luppa M, Pabst A, Löbner M, Koenig HH, Riedel-Heller SG. (2020). Internet Use in Old Age: Results of a German Population-Representative Survey. *J Med Internet Res*, Nov 23; 22: e15543. (5,034)

Schwenke M, Löbner M, Riedel-Heller S, Luppa M. (2020). Obesity and Depression in Primary Care - Results from the INTERACT Study. *Psychiatr Prax*, Oct; 47: 388-391. (1,120)

Backhaus L, Pabst A, Löbner M, Riedel-Heller S, Luppa M. (2020). Treatment Preferences of Depressed Primary Care Patients. *Psychiatr Prax*, Jan; 47: 39-42. (1,120)

Dafsari FS, Bewernick B, Biewer M, Christ H, Domschke K, Froelich L, Hellmich M, Luppa M, Peters O, Ramirez A, Riedel-Heller S, Schramm E, Vry MS, Wagner M, Hautzinger M, Jessen F. (2019). Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre, randomized, observer-blinded, controlled trial (CBTlate). *BMC Psychiatry*, Dec 27; 19: 423. (2,704)

Löbner M, Dorow M, Pabst A, Stein J, Kersting A, Luppa M, König HH, Riedel-Heller S. (2019). Online self-management of depression – Dose-response-relationship within a primary care setting. *Fortschr Neurol Psychiatr*, Mar; 87: 181-186. (0,642)

Pantenburg B, Kitzke K, Luppa M, König HH, Riedel-Heller SG. (2018). Physician emigration from Germany: insights from a survey in Saxony, Germany. *BMC Health Serv Res*, May 9; 18: 341. (2,010)

Quinzler R, Freitag MH, Wiese B, Beyer M, Brenner H, Dahlhaus A, Döring A, Freund T, Heier M, Knopf H, Luppa M, Prokein J, Riedel-Heller SG, Schäfer I, Scheidt-Nave C, Scherer M, Schöttker B, Szecsenyi J, Thürmann P, van den Bussche H, Gensichen J, Haefeli WE. (2019). A novel superior medication-based chronic disease score predicted all-cause mortality in independent geriatric cohorts. *J Clin Epidemiol*, Jan; 105: 112-124. (4,245)

Welzel FD, Stein J, Pabst A, Luppa M, Kersting A, Blüher M, Luck-Sikorski C, König HH, Riedel-Heller SG. (2018). Five A's counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). *BMC Fam Pract*, Jun 23; 19: 97. (2,022)

Hajek A, Brettschneider C, Eisele M, Lühmann D, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Weeg D, Mösche E, Hesser K, Wagner M, Scherer M, Maier W, Riedel-Heller SG, König HH; AgeCoDe and AgeQualiDe Study Group. (2019). Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. *Geriatr Gerontol Int*, Aug; 19: 705-710. (2,140)

Löbner M, Pabst A, Stein J, Dorow M, Matschinger H, Lupp M, Maroß A, Kersting A, König HH, Riedel-Heller SG. (2018). Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). *J Affect Disord*, Oct 1; 238: 317-326. (3,786)

Pentzek M, Wagner M, Abholz HH, Bickel H, Kaduszkiewicz H, Wiese B, Weyerer S, König HH, Scherer M, Riedel-Heller SG, Maier W, Koppa A; AgeCoDe Study Group. (2019). The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. *Br J Gen Pract*, Oct 31;69: e786-e793. (4,434)

Maske UE, Jaedtke M, Lupp M, Riedel-Heller S, Kleiber D, Busch MA. (2019). Diagnosed Depression and Utilization of Health Care Services and Preventive Measures in the General Adult Population in Germany - Results from a Nationwide Cross-Sectional Telephone Survey. *Psychiatr Prax*, Mar; 46: 73-81. (1,120)

Mallon T, Ernst A, Brettschneider C, König HH, Luck T, Röhr S, Weyerer S, Werle J, Mösch E, Weeg D, Fuchs A, Pentzek M, Kleineidam L, Hesel K, Riedel-Heller S, Maier W, Wiese B, Scherer M; AgeCoDe & AgeQualiDe study group. (2018). Prevalence of pain and its associated factors among the oldest-olds in different care settings - results of the AgeQualiDe study. *BMC Fam Pract*, Jun 9; 19: 85. (2,022)

Löbner M, Stein J, Lupp M, Konnopka A, Meisel HJ, Günther L, Meixensberger J, Stengler K, Angermeyer MC, König HH, Riedel-Heller SG. (2017). Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. *PLoS One*, 22, 12. (2,806)

Hajek A, Brettschneider C, Mallon T, Ernst A, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, Wagner M, Hesel K, Maier W, Scherer M, Riedel-Heller SG, König HH; AgeCoDe Study Group<sup>2</sup>. (2017). The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. *Health Quality and Life Outcomes*, 14, 15. (2,143)

Luck T, Rodriguez FS, Wiese B, van der Leeden C, Hesel K, Bickel H, In der Schmitt J, Koenig HH, Weyerer S, Mamone S, Mallon T, Wagner M, Weeg D, Fuchs A, Brettschneider C, Werle J, Scherer M, Maier W, Riedel-Heller SG; AgeCoDe<sup>1</sup> & AgeQualiDe study group. (2017). Advance directives and power of attorney for health care in the oldest-old - results of the AgeQualiDe study. *BMC Geriatrics*, 13, 17. (2,611)

Maske UE, Jaedtke M, Lupp M, Riedel-Heller S, Kleiber D, Busch MA. (2017). [Diagnosed Depression and Utilization of Health Care Services and Preventive Measures in the General Adult Population in Germany]. *Psychiatrische Praxis*, Apr 3. (1,302)

---

<sup>1</sup> Als Mitglied der AgeCoDe study group



Then FS, Luck T, Hesel K, Ernst A, Posselt T, Wiese B, Mamone S, Brettschneider C, König HH, Weyerer S, Werle J, Mösch E, Bickel H, Fuchs A, Pentzek M, Maier W, Scherer M, Wagner M, Riedel-Heller SG; AgeCoDe Study Group<sup>2</sup>. (2017). Which types of mental work demands may be associated with reduced risk of dementia? *Alzheimers Dementia*, 13: 431-440. (9,478)

Luck T, Riedel-Heller SG, Roehr S, Wiese B, van der Leeden C, Hesel K, Bickel H, Pentzek M, König HH, Werle J, Mamone S, Mallon T, Wolfsgruber S, Weeg D, Fuchs A, Brettschneider C, Scherer M, Maier W, Weyerer S; AgeCoDe study group<sup>2</sup>. (2016). Mortality in Incident Cognitive Impairment: Results of the Prospective Age-CoDe Study. *Journal of the American Geriatric Society*, 65: 738-746. (4,388)

Hajek A, Brettschneider C, Lühmann D, Eisele M, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Riedel-Heller SG, Luck T, Bickel H, Weeg D, Koppara A, Wagner M, Scherer M, Maier W, König HH; Study on Ageing, Cognition and Dementia in Primary Care Patients Group<sup>2</sup>. (2016). Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. *Journal of the American Geriatric Society*, 64: 2311-2316. (4,388)

Pantenburg B, Kitze K, Luppa M, König HH, Riedel-Heller SG. (2016). Job satisfaction of foreign-national physicians working in patient care: a cross-sectional study in Saxony, Germany. *J Occup Med Toxicol*, 30, 41. (1,482)

Koppara A, Wagner M, Lange C, Ernst A, Wiese B, König HH, Brettschneider C, Riedel-Heller S, Luppa M, Weyerer S, Werle J, Bickel H, Mösch E, Pentzek M, Fuchs A, Wolfsgruber S, Beauducel A, Scherer M, Maier W, Jessen F. (2016). Cognitive performance before and after the onset of subjective cognitive decline in old age. *Alzheimers Dement (Amst)*, 2:194-205. (9,478)

Pantenburg B, Luppa M, König HH, Riedel-Heller SG. (2016). Burnout among young physicians and its association with physicians' wishes to leave: results of a survey in Saxony, Germany. *J Occup Med Toxicol*, 22, 2. (1,482)

Roehr S, Luck T, Hesel K, Fuchs A, Ernst A, Wiese B, Werle J, Bickel H, Brettschneider C, Koppara A, Pentzek M, Lange C, Prokein J, Weyerer S, Mösch E, König HH, Maier W, Scherer M, Jessen F, Riedel-Heller SG; AgeCoDe Study Group<sup>2</sup>. (2016). Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly--Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). *PLoS One*, 14, 11. (2,806)

Hajek A, Brettschneider C, Lange C, Posselt T, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, Wagner M, Jessen F, Maier W, Scherer M, Riedel-Heller SG, König HH; AgeCoDe Study Group<sup>2</sup>. (2015). Longitudinal Predictors of Institutionalization in Old Age. *PLoS One*, 14, 10. (2,806)

Luck-Sikorski C, Luppa M, Hesel K, Bleckwenn M, Posselt T, Ernst A, Werle J, Weeg D, Mösch E, Wiese B, Steinmann S, Fuchs A, Pentzek M, König HH, Brettschneider C, Scherer M, Maier W, Weyerer S, Riedel-Heller SG. Mild Depres-

sive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. *Journal of the American Geriatric Society*, 63: 2408-10. (4,388)

Polyakova M, Sander C, Arelin K, Lampe L, Luck T, Luppa M, Kratzsch J, Hoffmann KT, Riedel-Heller S, Villringer A, Schoenknecht P, Schroeter ML. (2015). First evidence for glial pathology in late life minor depression: S100B is increased in males with minor depression. *Front Cell Neurosci*, 9, 406. (4,555)

Eisele M, Kaduszkiewicz H, König HH, Lange C, Wiese B, Prokein J, Weyerer S, Werle J, Riedel-Heller SG, Luppa M, Hesel K, Koppa A, Mösch E, Weeg D, Fuchs A, Pentzek M, Maier W, Scherer M, Hajek A; AgeCoDe Study Group. (2015). Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. *Br J Gen Pract*, 65, 716-23. (2,760)

Hajek A, Lehnert T, Ernst A, Lange C, Wiese B, Prokein J, Weyerer S, Werle J, Pentzek M, Fuchs A, Luck T, Bickel H, Mösch E, Hesel K, Wagner M, Maier W, Scherer M, Riedel-Heller SG, König HH; AgeCoDe Study Group.<sup>2</sup> (2015). Prevalence and determinants of overweight and obesity in old age in Germany. *BMC Geriatrics*, 15, 83. (2,611)

Gühne U, Luppa M, Stein J, Wiese B, Weyerer S, Maier W, König HH, Riedel-Heller SG. (2016). [Barriers and Opportunities for Optimized Treatment of Late Life Depression]. *Psychiatrische Praxis*, 43, 387-394. (1,302)

Roehr S, Luck T, Bickel H, Brettschneider C, Ernst A, Fuchs A, Hesel K, König HH, Jessen F, Lange C, Mösch E, Pentzek M, Steinmann S, Weyerer S, Werle J, Wiese B, Scherer M, Maier W, Riedel-Heller SG; AgeCoDe Study Group.<sup>2</sup> (2015). Mortality in incident dementia - results from the German Study on Aging, Cognition, and Dementia in Primary Care Patients. *Acta Psychiatrica Scandinavica*, 132, 257-69. (6,128)

Then FS, Luck T, Luppa M, König HH, Angermeyer MC, Riedel-Heller SG. (2015). Differential effects of enriched environment at work on cognitive decline in old age. *Neurology*, 26, 2169-76. (8,166)

Löffler A, Luck T, Then FS, Luppa M, Sikorski C, Kovacs P, Tönjes A, Böttcher Y, Breitfeld J, Horstmann A, Löffler M, Engel C, Thiery J, Stumvoll M, Riedel-Heller SG (2015). Age- and gender-specific norms for the German version of the Three-Factor Eating-Questionnaire (TFEQ). *Appetite*, 91, 241-7. (3,125)

Brettschneider C, Luck T, Fleischer S, Roling G, Beutner K, Luppa M, Behrens J, Riedel-Heller SG, König HH. (2015). Cost-utility analysis of a preventive home visit-program for older adults in Germany. *BMC Health Services Research*, 15, 141. (1,721)

Stein J, Luppa M, König HH, Riedel-Heller SG. (2015). The German version of the Camberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. *International Psychogeriatrics*, 27, 1919-26. (2,220)

Stein J, Luppa M, Kaduszkiewicz H, Eisele M, Weyerer S, Werle J, Bickel H, Mösch E, Wiese B, Prokein J, Pentzek M, Fuchs A, König HH, Brettschneider C, Hesel K,

Wagner M, Riedel-Heller SG, Scherer M, Maier W. (2015). Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe). *Psychological Assessment*, 27, 895-904. (2,840)

Heser K, Wagner M, Wiese B, Prokein J, Ernst A, König HH, Brettschneider C, Riedel-Heller SG, Luppa M, Weyerer S, Eifflaender-Gorfer S, Bickel H, Mösch E, Pentzek M, Fuchs A, Maier W, Scherer M, Eisele M; AgeCoDe Study Group. (2014). Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. *Dementia and Geriatric Cognitive Disorders Extra*, 10, 481-93. (3,547)

Sikorski C, Luppa M, Luck T, Riedel-Heller SG. (2015). Weight stigma "gets under the skin"- evidence for an adapted psychological mediation framework: a systematic review. *Obesity (Silver Spring)*, 23, 266-76. (3,614)

Sikorski C, Luppa M, Angermeyer MC, Schomerus G, Link B, Riedel-Heller SG. (2015). The association of BMI and social distance towards obese individuals is mediated by sympathy and understanding. *Soc Sci Med*, 128, 25-30. (2,814)

Ramirez A, Wolfsgruber S, Lange C, Kaduszkiewicz H, Weyerer S, Werle J, Pentzek M, Fuchs A, Riedel-Heller SG, Luck T, Mösch E, Bickel H, Wiese B, Prokein J, König HH, Brettschneider C, Breteler MM, Maier W, Jessen F, Scherer M; AgeCoDe Study Group<sup>2</sup>. (2015). Elevated HbA1c is associated with increased risk of incident dementia in primary care patients. *J Alzheimers Dis*, 44, 1203-12. (3,920)

Fankhauser S, Forstmeier S, Maercker A, Luppa M, Luck T, Riedel-Heller SG. (2015). Risk of dementia in older adults with low versus high occupation-based motivational processes: differential impact of frequency and proximity of social network. *J Geriatr Psychiatry Neurol*, 28, 126-35. (2,127)

Luck T, Then FS, Luppa M, Schroeter ML, Arélin K, Burkhardt R, Thiery J, Löffler M, Villringer A, Riedel-Heller SG. (2015). Association of the apolipoprotein E genotype with memory performance and executive functioning in cognitively intact elderly. *Neuropsychology*, 29, 382-387. (2,879)

Stein J, Luppa M, Ruzanska U, Sikorski C, König HH, Riedel-Heller SG. (2014). Measuring negative attitudes towards overweight and obesity in the German population - psychometric properties and reference values for the German short version of the Fat Phobia Scale (FPS). *PLoS One*, 4,12. (3,234)

Brettschneider C, Luck T, Fleischer S, Roling G, Beutner K, Sesselmann Y, Luppa M, Behrens J, Riedel-Heller S, König HH. (2014). Cost-Utility Analysis of Preventive Home Visits in Older Adults. *Value in Health*, 17, A511. (3,279)  
107121

Haenisch B, von Holt K, Wiese B, Prokein J, Lange C, Ernst A, Brettschneider C, König HH, Werle J, Weyerer S, Luppa M, Riedel-Heller SG, Fuchs A, Pentzek M, Weeg D, Bickel H, Broich K, Jessen F, Maier W, Scherer M. (2015). Risk of dementia in

elderly patients with the use of proton pump inhibitors. *Eur Arch Psychiatry Clin Neurosci*, 265, 419-28. (4,113)

Schulz S, Brenk-Franz K, Kratz A, Petersen JJ, Riedel-Heller SG, Schäfer I, Weyerer S, Wiese B, Fuchs A, Maier W, Bickel H, König HH, Scherer M, van den Bussche H, Gensichen J; MultiCare Study Group<sup>2</sup>. (2015). Self-efficacy in multimorbid elderly patients with osteoarthritis in primary care--influence on pain-related disability. *Clin Rheumatol*, 34, 1761-7. (2,042)

Wötzel H, Sikorski C, Schomerus G, Luppa M, Riedel-Heller SG. (2015). [Weight Related Stigmatisation of Obese Individuals in Somatic and Mental Health Care - are there Differences?]. *Psychiatrische Praxis*, 42, 328-32. (1,821)

Gühne U, Luppa M, König HH, Riedel-Heller SG. (2014). [Collaborative and home based treatment for older adults with depression: a review of the literature]. *Nervenarzt*, 85, 1363-71. (0,862)

Luck T, Luppa M, Matschinger H, Jessen F, Angermeyer MC, Riedel-Heller SG. (2014). Incident subjective memory complaints and the risk of subsequent dementia. *Acta Psychiatrica Scandinavica* 131, 290-6. (5,605)

Schulz S, Brenk-Franz K, Kratz A, Petersen JJ, Riedel-Heller SG, Schäfer I, Weyerer S, Wiese B, Fuchs A, Maier W, Bickel H, König HH, Scherer M, van den Bussche H, Gensichen J; MultiCare Study Group<sup>3</sup>. (2015). Self-efficacy in multimorbid elderly patients with osteoarthritis in primary care--influence on pain-related disability. *Clin Rheumatol*, 34, 1761-7. (2,042)

Petersen JJ, Paulitsch MA, Mergenthal K, Gensichen J, Hansen H, Weyerer S, Riedel-Heller SG, Fuchs A, Maier W, Bickel H, König HH, Wiese B, van den Bussche H, Scherer M, Dahlhaus A; MultiCare Study Group<sup>3</sup>. Implementation of chronic illness care in German primary care practices--how do multimorbid older patients view routine care? A cross-sectional study using multilevel hierarchical modeling. *BMC Health Services Research*, 14, 336. (1,659)

Schwarzbach M, Luppa M, Hansen H, König HH, Gensichen J, Petersen JJ, Schön G, Wiese B, Weyerer S, Bickel H, Fuchs A, Maier W, van den Bussche H, Scherer M, Riedel-Heller SG. (2014). MultiCare study group. A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients - results of the MultiCare study. *Journal of Affective Disorders*, 168, 276-83. (3,383)

Sikorski C, Luppa M, Weyerer S, König HH, Maier W, Schön G, Petersen JJ, Gensichen J, Fuchs A, Bickel H, Wiese B, Hansen H, van den Bussche H, Scherer M, Riedel-Heller SG. (2014). Obesity and associated lifestyle in a large sample of multimorbid German primary care attendees. *PLoS One*, 18, 7. (3,234)

Pantenburg B, Luppa M, König HH, Riedel-Heller SG. (2014). [Young physicians' thoughts about leaving patient care--results of a survey in Saxony, Germany]. *Gesundheitswesen*, 76, 406-12. (0,741)

---

<sup>2</sup> Als Mitglied der MultiCare study group

<sup>3</sup> Als Mitglied der MultiCare study group

Gühne U, Luppa M, König HH, Hautzinger M, Riedel-Heller S. (2014). [Are psychotherapeutic interventions effective in late-life depression? a systematic review]. *Psychiatrische Praxis*, 41, 415-23. (1,612)

Then FS, Luck T, Luppa M, Arélin K, Schroeter ML, Engel C, Löffler M, Thiery J, Villringer A, Riedel-Heller SG. (2014). Association between mental demands at work and cognitive functioning in the general population - results of the health study of the Leipzig research center for civilization diseases (LIFE). *J Occup Med Toxicol*, 28, 23. (1,226)

Sikorski C, Luppa M, Hesel K, Ernst A, Lange C, Werle J, Bickel H, Mösch E, Wiese B, Prokein J, Fuchs A, Pentzek M, König HH, Brettschneider C, Scherer M, Maier W, Weyerer S, Riedel-Heller SG; AgeCoDe Study Group. (2014). The role of spousal loss in the development of depressive symptoms in the elderly - implications for diagnostic systems. *Journal of Affective Disorders*, 161, 97-103. (3,383)

Bock JO, Luppa M, Brettschneider C, Riedel-Heller S, Bickel H, Fuchs A, Gensichen J, Maier W, Mergenthal K, Schäfer I, Schön G, Weyerer S, Wiese B, van den Bussche H, Scherer M, König HH. (2014). Impact of depression on health care utilization and costs among multimorbid patients--from the MultiCare Cohort Study. *PLoS One*, 17, e91973. (3,234)

Kaduszkiewicz H, Eisele M, Wiese B, Prokein J, Luppa M, Luck T, Jessen F, Bickel H, Mösch E, Pentzek M, Fuchs A, Eifflaender-Gorfer S, Weyerer S, König HH, Brettschneider C, van den Bussche H, Maier W, Scherer M, Riedel-Heller SG; Study on Aging, Cognition, and Dementia in Primary Care Patients (AgeCoDe) Study Group. (2014). Prognosis of mild cognitive impairment in general practice: results of the German AgeCoDe study. *Ann Fam Med*, 12, 158-65. (5,434)

Löbner M, Luppa M, Konnopka A, Meisel HJ, Günther L, Meixensberger J, Stengler K, Angermeyer MC, König HH, Riedel-Heller SG. (2014). Inpatient or outpatient rehabilitation after herniated disc surgery? - Setting-specific preferences, participation and outcome of rehabilitation. *PLoS One*, 5, e89200. (3,234)

König HH, Leicht H, Brettschneider C, Bachmann C, Bickel H, Fuchs A, Jessen F, Köhler M, Luppa M, Mösch E, Pentzek M, Werle J, Weyerer S, Wiese B, Scherer M, Maier W, Riedel-Heller SG; AgeCoDe Study Group. (2014). The costs of dementia from the societal perspective: is care provided in the community really cheaper than nursing home care? *J Am Med Dir Assoc*, 15, 117-26. (4,939)

Then FS, Luck T, Luppa M, Thinschmidt M, Deckert S, Nieuwenhuijsen K, Seidler A, Riedel-Heller SG. (2014). Systematic review of the effect of the psychosocial working environment on cognition and dementia. *Occup Environ Med*, 71, 358-65. (3,267)

Stein J, Luppa M, König HH, Riedel-Heller SG. (2014). Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell assessment of need for the elderly (CANE)--a pilot study. *International Psychogeriatrics*, 26, 285-95. (1,934)

Sikorski C, Luppa M, Glaesmer H, Brähler E, König HH, Riedel-Heller SG. (2013). Attitudes of health care professionals towards female obese patients. *Obesity Facts*, 6, 512-22. (1,705)

Then, F. S., Luppa, M., Schroeter, M. L., König, H.-H., Angermeyer, M. C., Riedel-Heller, S. G. (2013). Enriched environment at work and the incidence of dementia: results of the Leipzig longitudinal study of the aged (LEILA 75+). *PLoS One*, 26, 8. (3,730)

Luck, T., Riedel-Heller, S. G., Luppa, M., Wiese, B., Köhler, M., Jessen, F., Bickel, H., Weyerer, S., Pentzek, M., König, H.-H., Prokein, J., Ernst, A., Wagner, M., Mösch, E., Werle, J., Fuchs, A., Brettschneider, C., Scherer, M., Maier, W. (2013). Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of gene-environment interaction for the risk of dementia and Alzheimer's disease dementia. *Psychological Medicine*, 24, 1-11. (5,587)

Leicht, H., König, H.-H., Stuhldreher, N., Bachmann, C., Bickel, H., Fuchs, A., Hesel, K., Jessen, F., Köhler, M., Luppa, M., Mösch, E., Pentzek, M., Riedel-Heller, S., Scherer, M., Werle, J., Weyerer, S., Wiese, B., Maier, W., AgeCoDe study group. (2013). Predictors of costs in dementia in a longitudinal perspective. *PLoS One*, 18, 8. (3,730)

Luck, T., Motzek, T., Luppa, M., Matschinger, H., Fleischer, S., Sesselmann, Y., Rölling, G., Beutner, K., König, H.-H., Behrens, J., Riedel-Heller, S.G. (2013). Effectiveness of preventive home visits in reducing the risk of falls in old age: a randomized controlled trial. *Clinical Interventions in Aging*, 8, 697-702. (2,651)

Schwarzbach, M., Luppa, M., Forstmeier, S., König, H.-H., Riedel-Heller, S. G. (2014). Social relations and depression in late life – A systematic review. *International Journal of Geriatric Psychiatry*, 29, 1-21 (2,977)

Zimmermann, T., Kaduszkiewicz, H., van den Bussche, H., Schön, G., Brettschneider, C., König, H.-H., Wiese, B., Bickel, H., Mösch, E., Luppa, M., Riedel-Heller, S., Werle, J., Weyerer, S., Fuchs, A., Pentzek, M., Hänisch, B., Maier, W., Scherer, M., Jessen F; AgeCoDe-Study Group. (2013). [Potentially inappropriate medication in elderly primary care patients: A retrospective, longitudinal analysis]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*, 56, 7. (0,722)

Luck, T., Riedel-Heller, S. G., Luppa, M., Wiese, B., Bachmann, C., Jessen, F., Bickel, H., Weyerer, S., Pentzek, M., König, H.-H., Prokein, J., Eisele, M., Wagner, M., Mösch, E., Werle, J., Fuchs, A., Brettschneider, C., Scherer, M., Breitner, J. C., Maier, W. (2013). A hierarchy of predictors for dementia-free survival in old-age: results of the AgeCoDe study. *Acta Psychiatrica Scandinavica*, 129, 63-72. (4,857)

Luppa, M., König, H.-H., Heider, D., Leicht, H., Motzek, T., Schomerus, G., Riedel-Heller, S. G. (2013). Direct costs associated with depressive symptoms in old age – A 4.5-year prospective study. *International Psychogeriatrics*, 25, 292-302. (2,188)

Busch, M. A., Neuner, B., Aichberger, M. C., Hapke, U., Riedel-Heller, S. G., Luppa, M. (2013). [Depressive Symptoms and Health Service Utilisation Among Persons 50 Years or Older in Germany. *Psychiatrische Praxis*, 40, 214-219. (1,618)

Luppa, M., Luck, T., Ritschel, F., Angermeyer, M. C., Villringer, A., Riedel-Heller, S. G. (2013). Depression and incident dementia. An 8-Year Population-Based Prospective Study. PLoS ONE, 8, 3. (3,730)

Köhler, S., Verhey, F., Weyerer, S., Wiese, B., Hesper, K., Wagner, M., Pentzek, M., Fuchs, A., Köhler, M., Bachmann, C., Riedel-Heller, S. G., Luppa, M., Eifflaender-Gorfer, S., Werle, J., Bickel, H., Mösch, E., König, H.-H., Brettschneider, C., Scherer, M., Maier, W. (2013). Depression, non-fatal stroke and all-cause mortality in old age: A prospective cohort study of primary care patients. Journal of Affective Disorders, 150, 63-69. (3,295)

Schomerus, G., Appel, K., Meffert, P. J., Luppa, M., Andersen, R. M., Grabe, H. J., Baumeister, S. E. (2013). Personality-related factors as predictors of help-seeking for depression: a population-based study applying the Behavioral Model of Health Services Use. Social Psychiatry and Psychiatric Epidemiology, 48, 1809-1817. (2,861)

Weyerer, S., Eifflaender-Gorfer, S., Wiese, B., Luppa, M., Pentzek, M., Bickel, H., Bachmann, C., Scherer, M., Maier, W., Riedel-Heller, S. G. (2013). Incidence and predictors of depression in non-demented primary care attenders aged 75 years and older: results from a 3-year follow-up study. Age and Ageing, 42, 173-180. (3,816)

van den Bussche, H., Schäfer, I., Wiese, B., Dahlhaus, A., Fuchs, A., Gensichen, J., Höfels, S., Hansen, H., Leicht, H., Koller, D., Luppa, M., Nützel, A., Werle, J., Scherer, M., Wegscheider, K., Glaeske, G., Schön, G. (2013). A comparative study demonstrated that prevalence figures on multimorbidity require cautious interpretation when drawn from a single database. Journal of Clinical Epidemiology, 66, 209-217. (5,332)

Schwarzbach, M., Luppa, M., Sikorski, C., Fuchs, A., Maier, W., van den Bussche, H., Pentzek, M., Riedel-Heller, S. G. (2013). The relationship between social integration and depression in non-demented primary care patients aged 75 years and older. Journal of Affective Disorders, 145, 172-178. (3,295)

Röling, G., Sesselmann, Y., Fleischer, S., Beutner, K., Behrens, J., Luck, T., Luppa, M., Riedel-Heller, S. G. (2012). Handlungsanleitung für die Durchführung Präventiver Hausbesuche. Hallesche Beiträge zu den Gesundheits- und Pflegewissenschaften 2012; 11(2): 1-80.

Stein, J., Luppa, M. (2012). Media Screen: Allgemeine Depressionsskala (ADS). Psychiatrische Praxis, 39, 302-304. (1,618)

Hesper, K., Tebarth, F., Wiese, B., Eisele, M., Bickel, H., Köhler, M., Mösch, E., Weyerer, S., Werle, J., König, H.-H., Leicht, H., Pentzek, M., Fuchs, A., Riedel-Heller, S. G., Luppa, M., Prokein, J., Scherer, M., Maier, W., Wagner, M. (2012). Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). Psychological Medicine, 9, 1-14. (5,587)

Luck, T., Luppa, M., Sieber, J., Schomerus, G., Werner, P., König, H.-H., Riedel-Heller, S. G. (2012). Attitudes of the German General Population toward Early Diag-

nosis of Dementia - Results of a Representative Telephone Survey. PLoS One, 7, 11. (3,730)

Pantenburg, B., Sikorski, C., Luppa, M., Schomerus, G., König, H.-H., Werner, P., Riedel-Heller, S. G. (2012). Medical Students' Attitudes towards Overweight and Obesity, PLoS One, 7, 11. (3,730)

Sikorski, C., Luppa, M., Brähler, E., König, H.-H., Riedel-Heller, S. G. (2012). Obese Children, Adults and Senior Citizens in the Eyes of the General Public: Results of a Representative Study on Stigma and Causation of Obesity. PLoS ONE, 7, 10. (3,730)

Sikorski, C., Luppa, M., Dame, K., Brähler, E., Schuetz, T., Shang, E., König, H.-H., Riedel-Heller, S. G. (2012). Attitudes towards Bariatric Surgery in the General Public. Obesity Surgery, Epub Sep 16. (3,102)

Büchtemann, D., Luppa, M., Bramesfeld, A., Riedel-Heller, S. G. (2012). Incidence of late-life depression: a systematic review. Journal of Affective Disorders, 142, 172-179. (3,295)

Luppa, M., Luck, T., König, H.-H., Angermeyer, M. C., Riedel-Heller, S. G. (2012). Natural Course of Depressive Symptoms in Late Life. An 8-Year Population-Based Prospective Study. Journal of Affective Disorders, 142, 166-171. (3,295)

Luppa, M., Sikorski, C., Motzek, T., Konnopka, A., König, H.-H., Riedel-Heller, S.G. (2012). Health Service Utilization and Costs of Depressive Symptoms in Late Life – A Systematic Review. Current Pharmaceutical Design, 18, 5936-5957. (3,311)

Konnopka, A., Löbner, M., Luppa, M., Heider, D., Heinrich, S., Riedel-Heller, S., Meisel, H. J., Guenther, L., Meixensberger, J., Koenig, H.-H. (2012). Psychiatric comorbidity as predictor of costs in back pain patients undergoing disc surgery: a longitudinal observational study. BMC Musculoskeletal Disorders, 13:165. (1,875)

Luppa, M., Riedel-Heller, S. G., Luck, T., Wiese, B., van den Bussche, H., Haller, F., Sauder, M., Mösch, E., Pentzek, M., Wollny, A., Eisele, M., Zimmermann, T., König, H.-H., Maier, W., Bickel, H., Werle, J., Weyerer, S. for the AgeCoDe study group (2012). Age-Related Predictors of Institutionalization – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). Social Psychiatry and Psychiatric Epidemiology, 47, 263-270. (2,861)

Luck, T., Luppa, M., Riedel-Heller, S. G. (2012). Epidemiology of dementia – A current overview. Public Health Forum, 76, 11e1-11e3.

Konnopka, A., Heinrich, S., Schäfer, R., Kaufmann, C., Luppa, M., Herzog, W., König, H.-H. (2012). Economics of Medically Unexplained Symptoms: A Systematic Review of the Literature. Psychotherapy and Psychosomatics, 81, 265-275. (7,230)

Sikorski, C., Luppa, M., Schomerus, G., Werner, P., König, H.-H., Riedel-Heller, S. G. (2012). Public Attitudes towards Prevention of Obesity. PLoS ONE, 7, 6. (3,730)

Luck, T., Luppa, M., Wiese, B., Maier, W., van den Bussche, H., Eisele, M., Jessen, F., Weeg, D., Weyerer, S., Pentzek, F., Leicht, H., Koehler, M., Tebarth, F., Olbrich,



J., Eifflaender-Gorfer, S., Fuchs, A., Koenig, H.-H., Riedel-Heller, S. G. (2012). Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment – Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *American Journal of Geriatric Psychiatry*, 20, 943-954. (4,131)

Köhler, M., Kliegel, M., Kaduszkiewicz, H., Bachmann, C., Wiese, B., Bickel, H., Mösch, E., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Leicht, H., König, H.-H., Luppa, M., Riedel-Heller, S. G., Jessen, F., Maier, W., Scherer, M., Wagner, M. for the Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe) study group. (2012). Effect of Cardiovascular and Metabolic Disease on Cognitive Test Performance and Cognitive Change in Older Adults. *Journal of the American Geriatrics Society*, 60, 1286-1291. (3,978)

Luppa, M., Riedel-Heller, S. G.<sup>a</sup>, Stein, J.<sup>a</sup>, Leicht, H.<sup>b</sup>, König, H.-H.<sup>b</sup>, van den Bussche, H.<sup>c</sup>, Maier, W.<sup>d</sup>, Scherer, M.<sup>c</sup>, Bickel, H.<sup>e</sup>, Mösch, E.<sup>e</sup>, Werle, J.<sup>f</sup>, Pentzek, M.<sup>g</sup>, Fuchs, A.<sup>g</sup>, Eisele, M.<sup>c</sup>, Jessen, F.<sup>d</sup>, Tebarth, F.<sup>d</sup>, Wiese, B.<sup>h</sup>, Weyerer, S.<sup>e</sup> for the AgeCoDe study group. (2012). Predictors of institutionalisation in incident dementia – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe study). *Dementia and Geriatric Cognitive Disorders*, 33, 282-288. (2,787)

Luppa, M., Sikorski, C., Luck, T., Weyerer, S., Villringer, A., König, H.-H., Riedel-Heller, S. G. (2012). Prevalence and risk factors of latest-life depression – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). *International Journal of Geriatric Psychiatry*, 27, 286-295. (2,977)

Forstmeier, S., Maercker, A., Maier, W., van den Bussche, H., Riedel-Heller, S. G., Kaduszkiewicz, H., Pentzek, M., Weyerer, S., Bickel, H., Tebarth, F., Luppa, M., Wollny, A., Wiese, B., Wagner, M. (2012). Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease. *Psychology and Aging*, 27, 353-360. (3,089)

Löbner, M., Luppa, M., Matschinger, H., Konnopka, A., Meisel, H. J., Günther, L., Meixensberger, J., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2012). The course of depression and anxiety in patients undergoing disc surgery: a longitudinal observational study. *Journal of Psychosomatic Research*, 72, 185-94. (3,296)

Luppa, M., Sikorski, C., Luck, T., Ehreke, L., Konnopka, A., Wiese, B., Weyerer, S., König, H.-H., Riedel-Heller, S. G. (2012). Age- and Gender-Specific Prevalence of Depression in Latest-Life – Systematic Review and Meta-Analysis. *Journal of Affective Disorders*, 136, 212-221. (3,517)

Stein, J., Luppa, M., Maier, W., Tebarth, F., Heser, K., Scherer, M., Zimmermann, T., Eisele, M., Bickel, H., Mösch, E., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Wiese, B., Prokein, J., König, H.-H., Leicht, H., Riedel-Heller, S. G. (2012). The assessment of changes in cognitive functioning in the elderly: Age- and education-specific Reliable Change Indices (RCIs) for the SIDAM. Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Dementia and Geriatric Cognitive Disorders*, 33, 73-83. (2,141)

Sikorski, C., Riedel, C., Luppa, M., Schulze, B., Werner, P., König, H.-H., Riedel-Heller, S.G. (2012). Perception of overweight and obesity from different angles: A qualitative study. *Scandinavian Journal of Public Health*, 40, 271-277. (1,388)

Eisele, M., Zimmermann, T., Köhler, M., Wiese, B., Hesel, K., Tebarth, F., Weeg, D., Olbrich, J., Pentzek, M., Fuchs, A., Weyerer, S., Werle, J., Leicht, H., König, H.-H., Luppa, M., Riedel-Heller, S. G., Maier, W., Scherer, M. (2012). Influence of social support on cognitive change and mortality in old age: results from the prospective multicentre cohort study AgeCoDe. *BMC Geriatrics*, 12, 9. (1,967)

Schomerus, G., Auer, C., Rhode, D., Luppa, M., Freyberger, H. J., Schmidt, S. (2012). Personal stigma, problem appraisal and perceived need for professional help in currently untreated depressed persons. *Journal of Affective Disorders*, 139, 94-97 (3,295)

Stein, J., Luppa, M., Maier, W., Wagner, M., Wolfsgruber, S., Scherer, M., Koehler, M., Eisele, M., Weyerer, S., Werle, J., Bickel, H., Mösch, E., Wiese, B., Prokein, J., Pentzek, M., Fuchs, A., Leicht, H., König, H.-H., Riedel-Heller, S. G. (2012) The assessment of changes in cognitive functioning in the elderly: Age- and education-specific Reliable Change Indices for the Mini-Mental State Examination (MMSE). Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Acta Psychiatrica Scandinavica*, Feb 29. (4,857)

Stengler, K., Zieger, M., Luppa, M., Meisel, H. J., Günther, L., Meixensberger, J., Toussaint, R., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2011). The Impact of Psychiatric Comorbidity on Quality of Life in Patients Undergoing Herniated Disc Surgery. *Cen Eur Neurosurg*. Oct 5. (0,838)

Sikorski, C., Luppa, M., König, H.-H., van den Bussche, H., Riedel-Heller, S. G. (2012). Does GP training in depression care affect patient outcome? - A systematic review and meta-analysis. *BMC Health Services Research*, 12, 10. (1,660)

Stein, J., Luppa, M., Luck, T., Maier, W., Wagner, M., Daerr, M., van den Bussche, H., Zimmermann, T., Köhler, M., Bickel, H., Mösch, E., Weyerer, S., Kaufeler, T., Pentzek, M., Wiese, B., Wollny, A., König, H.-H., Riedel-Heller, S. G. (2012). The assessment of changes in cognitive functioning: Age-, education- and gender-specific Reliable Change Indices (RCIs) for older adults tested on the CERAD-NP battery. Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *The American Journal of Geriatric Psychiatry*, 20, 84-97. (3,638)

Sikorski, C., Luppa, M., Kaiser, M., Glaesmer, H., Schomerus, G., König, H.-H., Riedel-Heller, S. G. (2011). The Stigma of Obesity in the General Public and its Implications for Public Health - a Systematic Review. *BMC Public Health*, 11, 661. (1,997)

Lehnert, T., Heider, D., Leicht, H., Heinrich, S., Corrieri, S., Luppa, M., Riedel-Heller, S., König, H.-H. (2011). Review: health care utilization and costs of elderly persons with multiple chronic conditions. *Medical Care Research and Review*, 68, 387-420. (2,959)

Leicht, H., Heinrich, S., Heider, D., Bachmann, C., Bickel, H., van den Bussche, H., Fuchs, A., Luppa, M., Maier, W., Mösch, E., Pentzek, M., Rieder-Heller, S. G., Tebarth, F., Werle, J., Weyerer, S., Wiese, B., Zimmermann, T., König, H.-H.; for the AgeCoDe study group (2011). Net costs of dementia by disease stage. *Acta Psychiatrica Scandinavica*, 124, 384-395. (4,220)

Ehreke, L., Luck, T., Luppa, M., König, H.-H., Villringer, A., Riedel-Heller, S. G. (2011). Clock Drawing Test – screening utility for mild cognitive impairment according to different scoring systems: results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). *International Psychogeriatrics*, 23, 1592-1601. (2,240)

Glaesmer, H., Riedel-Heller, S. G., Brähler, E., Spangenberg, L., Luppa, M. (2011). Age- and Gender-Specific Prevalence and Risk factors of Depressive Symptoms in the Elderly – A Population-Based Study. *International Psychogeriatrics*, 23, 1294-1300. (2,240)

Konnopka, A., Heinrich, S., Zieger, M., Luppa, M., Riedel-Heller, S. G., Meisel, H. J., Günther, L., Meixensberger, J., König, H.-H. (2011). Effects of psychiatric comorbidity on costs in patients undergoing disc surgery: a cross-sectional study. *The Spine Journal*, 11, 601-609. (3,290)

Luck, T., Luppa, M., Angermeyer, M. C., Villringer, A., König, H.-H., Riedel-Heller, S. G. (2011). Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment on Time to Incident Dementia: results of the Leipzig Longitudinal Study of the Aged. *Psychological Medicine*, 41, 1087-1097. (6,159)

Weyerer, S., Schäufele, M., Wiese, B., Maier, W., Tebarth, F., van den Bussche, H., Pentzek, M., Bickel, H., Luppa, M., Riedel-Heller, S. G. for the AgeCoDe study group (2011). Current alcohol consumption and its relationship to incident dementia: results from a 3-year follow-up study among primary care attenders aged 75 years and older. *Age and Ageing*, 40, 456-463. (3,090)

Zieger, M., Luppa, M., Matschinger, H., Meisel, H. J., Günther, L., Meixensberger, J., Toussaint, R., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2011). Affective, anxiety and substance related disorders in patients undergoing herniated disc surgery. *Social Psychiatry and Psychiatric Epidemiology*, 46, 1181-1190. (2,696)

Zieger, M., Luppa, M., Meisel, H. J., Günther, L., Winkler, D., Toussaint, R., Stengler, K., Angermeyer, M.C., König, H.-H., Riedel-Heller, S. G. (2011). The impact of psychiatric comorbidity on the return to work in patients undergoing herniated disc surgery. *Journal of Occupational Rehabilitation*, 21, 54-65. (2,795)

Luppa, M., Gentzsch, K., Angermeyer, M. C., Weyerer, S., König, H.-H., Riedel-Heller, S. G. (2011). Geschlechtsspezifische Prädiktoren von Institutionalisierung im Alter - Ergebnisse der Leipziger Längsschnittstudie in der Altenbevölkerung (LEILA 75+). *Psychiatrische Praxis*, 38, 185-189. (1,639)

Sikorski, C., Luppa, M., Kersting, A., König, H.-H., Riedel-Heller, S. G. (2011). Effektivität computer- und internetgestützter kognitiver Verhaltenstherapie bei Depression. Ein systematischer Literaturüberblick. *Psychiatrische Praxis*, 38, 61-68. (1,639)

Ehreke, L., Luppa, M., König, H.-H., Villringer, A., Riedel-Heller, S. G. (2011). Does the Clock Drawing Test predict dementia? – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). *Dementia and Geriatric Cognitive Disorders*, 31, 89-97. (2,141)

Stein, J., Luppa, M., Brähler, E., König, H.-H., Riedel-Heller, S. G. (2010). The assessment of changes in cognitive functioning: Reliable Change Indices (RCIs) for neuropsychological instruments in the elderly. A Systematic Review. *Dementia and Geriatric Cognitive Disorders*, 29, 275-86. (2,455)

Luck, T., Luppa, M., Briel, S., Riedel-Heller, S. G. (2010). Incidence of Mild Cognitive Impairment. A systematic review. *Dementia and Geriatric Cognitive Disorders*, 29, 164-175. (2,455)

Luppa, M., Luck, T., Weyerer, S., König, H.-H., Brähler, E., Riedel-Heller, S. G. (2010). Prediction of institutionalisation in the elderly. A systematic review. *Age and Ageing*, 39, 31-38. (2,719)

Stein, J., Hensel, A., Luppa, M., Luck, T., Angermeyer, M. C., Riedel-Heller, S. G. (2010). Die Messung kognitiver Veränderungen bei älteren Menschen: Veränderungsnormen für SISCO und MMST. *Klinische Evaluation und Diagnostik*, 3, 257-275.

Ehreke, L., Luppa, M., Riedel-Heller, S. G. (2010). Ist der Uhrentest als Instrument für die Diagnose von leichten kognitiven Beeinträchtigungen geeignet? *Klinische Evaluation und Diagnostik*, 3, 276-293.

Luppa, M., Riedel-Heller, S. G. (2010). Persönlichkeits-Stil- und Störungs-Inventar (PSSI), 2., überarbeitete und neunormierte Auflage von Julius Kuhl und Miguel Kazén. *Diagnostica*, 56, 243-245. (0,732)

Luck, T., Luppa, M., Briel, S., Matschinger, H., König, H.-H., Bleich, S., Villringer, A., Angermeyer, M. C., Riedel-Heller, S. G. (2010). Mild Cognitive Impairment: Incidence and Risk factors - Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). *Journal of the American Geriatrics Society*, 58, 1903-1910. (3,913)

Kaduszkiewicz, H., Zimmermann, T., van den Bussche, H., Bachmann, C., Wiese, B., Bickel, H., Mösch, E., Romberg, H., Jessen, F., Cvetanovska-Pllashniku, G., Maier, W., Riedel-Heller, S. G., Luppa, M., Sandholzer, H., Weyerer, S., Mayer, M., Hofmann, A., Fuchs, A., Abholz, H., Pentzek M. for the AgeCoDe study group (2010). Do general practitioner recognize mild cognitive impairment in their patients? *The Journal of Nutrition, Health and Aging*, 14, 697-702. (2,484)

König, H.-H., Luppa, M., Riedel-Heller, S. G. (2010). Die Kosten der Depression und die Wirtschaftlichkeit ihrer Behandlung. *Psychiatrische Praxis*, 37, 213-15. (2,204)

Luppa, M., Luck, T., Matschinger, H., König, H.-H., Riedel-Heller, S. G. (2010). Predictors of nursing home admission of individuals without a dementia diagnosis before admission - results from the Leipzig Longitudinal Study of the Aged (LEILA 75+). *BMC Health Services Research*, 10, 186. (1,721)

Riedel-Heller, S. G., Luppa, M., König, H.-H. (2010). Institutionalisation psychisch kranker alter Menschen. *Psychiatrische Praxis*, 37, 53-55. (2,204)

Quentin, W., Riedel-Heller, S. G., Luppa, M., Rudolph, A., König, H.-H. (2010). Cost of illness studies of dementia: A systematic review focusing on stage-dependency of costs. *Acta Psychiatrica Scandinavica*, 121, 243-259. (3,795)

Ehreke, L., Luppa, M., König, H.-H. & Riedel-Heller S. G. (2009). Is the Clock Drawing Test a screening tool for the diagnosis of mild cognitive impairment? A systematic review. *International Psychogeriatrics*, 20, 1-8. (2,506)

Luppa, M., Luck, T., Weyerer, S., König, H.-H., Riedel-Heller, S. G. (2009). Gender-specific predictors of nursing home placement in the elderly. A Systematic Review. *International Psychogeriatrics*, 21, 1015-1025. (2,506)

Hensel, A., Luck, T., Luppa, M., Glaesmer, H., Angermeyer, M. C., Riedel-Heller, S. G. (2009). Does a reliable decline in Mini Mental State Examination total score predict dementia? Diagnostic accuracy of two reliable change indices. *Dementia and Geriatric Cognitive Disorders*, 27, 50-58. (2,578)

Weyerer, S., Schäufele, M., Eifflaender-Gorfer, S., Köhler, L., Maier, W., Haller, F., Cvetanovska-Pillashiniku, G., Pentzek, M., Fuchs, A., van den Bussche, H., Zimmermann, T., Eisele, M., Bickel, H., Mösch, E., Wiese, B., Angermeyer, M. C., Riedel-Heller, S. G.; German AgeCoDe Study group. Further members of the German AgeCoDe Study group: Abholz, H.-H., Bachmann, C., Blank, W., Buchwald, M., Colditz, M., Daerr, M., Jessen, M., Heinrich, S., Kaduszkiewicz, H., Kaufeler, T., König, H.-H., Luck, T., Luppa, M., Mayer, M., Olbrich, J., Romberg, H.-P., Rudolph, A., Sauder, M., Schürmann, B., Wagner, M., Werle, J., Wollny, A. (German Study on Ageing, Cognition, Dementia in Primary Care Patients (2009). At-risk alcohol drinking in primary care patients aged 75 years and older. *International Journal of Geriatric Psychiatry*, 24, 1376-1385. (1,981)

Luck, T., Riedel-Heller, S. G., Luppa, M., Wiese, B., Wollny, A., Wagner, M., Bickel, H., Weyerer, S., Pentzek, M., Haller, F., Moesch, E., Werle, J., Eisele, M., Maier, W., van den Bussche, H., Kaduszkiewicz, H. for the AgeCoDe Study Group (2010). Risk factors and early indicators of incident MCI – Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Acta Psychiatrica Scandinavica*, 121, 260-272. (3,733)

Ehreke, L., Luppa, M., Luck, T., Wiese, B., Weyerer, S., Eifflaender-Gorfer, S., Weeg, D., Olbrich, J., van den Bussche, H., Bachmann, C., Eisele, M., Maier, W., Jessen, F., Wagner, M., Fuchs, A., Pentzek, M., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2009). Is the Clock Drawing Test suited for diagnosing mild cognitive impairment? – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Dementia and Geriatric Cognitive Disorders*, 28, 365-372. (2,578)

Schäfer, I., Hansen, H., Schön, G., Maier, W., Höfels, S., Altiner, A., Fuchs, A., Gerlach, F. M., Petersen, J. J., Gensichen, J., Schulz, S., Riedel-Heller, S. G., Luppa, M., Weyerer, S., Werle, J., Bickel, H., Barth, K., König, H.-H., Rudolph, A., Wiese, B., Prokein, J., Bullinger, M., von dem Knesebeck, O., Eisele, M., Kaduszkiewicz, H., Wegscheider, K., van den Bussche, H. (2009). The German MultiCare-study: Pat-

terns of multimorbidity in primary health care - protocol of a prospective cohort study. BMC Health Services Research, 11, 145. (1,660)

Heinrich, S., Luppa, M., Angermeyer, M. C., Riedel-Heller, S. G., König, H.-H. (2008). Service Utilization and Health Care Costs in the Advanced Elderly. Value in Health, 11, 611-620 (3,009)

Luppa, M., Heinrich, S., Matschinger, H., Sandholzer, H., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2008). Direct costs associated with depression in old age in Germany. Journal of Affective Disorders, 105, 195-204. (3,271)

Luppa, M., Heinrich, S., Luck, T. (2008). Psychiatrische und psychotherapeutische Versorgungsforschung in Deutschland – Eine Analyse der Publikationen in zwei deutschsprachigen Zeitschriften. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie, 56, 203-210. (0,347)

Luppa, M., Heinrich, S., Matschinger, H., Hensel, A., Luck, T., Riedel-Heller, S. G., König, H.-H. (2008). Direct costs associated with Mild Cognitive Impairment in primary care. International Journal of Geriatric Psychiatry, 23, 963-971. (2,128)

Luppa, M., Heinrich, S., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2008). Health care costs associated with recognised and unrecognised depression in old age. International Psychogeriatrics, 20, 1219-1229. (2,098).

Weyerer, S., Eifflaender-Gorfer, S., Köhler, L., Jessen, F., Maier, W., Wiese, B., Angermeyer, M. C., Luppa, M., Mösch, E., Bickel, H. (2008). Prevalence and risk factors for depression in non-demented elderly primary care attenders. Journal of Affective Disorders, 111, 153-163. (3,271)

Luppa, M., Luck, T., Brähler, E., König, H.-H., Riedel-Heller, S. G. (2008). Prediction of institutionalisation in dementia: a systematic review. Dementia and Geriatric Cognitive Disorders, 26, 65-78. (3,142)

Luck, T., Luppa, M., Weber, S., Matschinger, H., Glaesmer, H., König, H.-H., Angermeyer, M. C., Riedel-Heller, S. G. (2008). Time until institutionalisation in incident dementia cases – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). Neuroepidemiology, 31, 100-108. (1,737)

Luppa, M., Heinrich, S., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2007). Cost-of-illness studies of depression A systematic review. Journal of Affective Disorders, 98, 29-43. (3,144)

Stöbel-Richter, Y., Berth, H., Watzke, B., Luppa, M. (2007). Die Erfassung der sozialen Ungleichheit in empirischen Untersuchungen – eine Übersicht. Psychotherapeut, 6, 426-435. (1,011)

Watzke, B., Schulz, H., Luppa, M., Stöbel-Richter, Y. (2007). Welche integrativen und störungsspezifischen Behandlungsansätze sind Gegenstand wissenschaftlicher Beiträge? Eine Literaturübersicht zu psychotherapeutischen Verfahren in deutschsprachigen Zeitschriften. Psychotherapie, Psychosomatik und Medizinische Psychologie, 57, 452-461. (1,347)

Luppa, M., König, H.-H., Riedel-Heller, S. G. (2007). Wirtschaftliche Folgen von Depressionen. Verhaltenstherapie und psychosoziale Praxis, 4, 923-927.

Riedel-Heller, S. G., Luppa, M., Angermeyer, M. C. (2004). Psychiatrische Epidemiologie in Deutschland. Stand der Forschung. Psychiatrische Praxis, 31, 288-297. (1,356)

### Buchbeiträge

Sikorski, C., Luppa, M., Riedel-Heller, S. G. (2014). Innovative Versorgungsansätze zur Behandlung von Depression. In: Klauber J, Günster C, Gerste B, Robra BP, Schmacke N: Versorgungs-Report 2013/2014. Schwerpunkt: Depression. Stuttgart: Schattauer.

König, H.-H., Leicht, H., Rudolph, A., Luppa, M., Riedel-Heller, S. G., Quentin, W. (2011). Stadienspezifische Kosten der Demenz: Ergebnisse eines systematischen Literaturüberblicks. In: Dibelius, O., Maier, W. (Hrsg.). Versorgungsforschung für demenziell erkrankte Menschen. Stuttgart: Kohlhammer.

Luppa, M., Luck, T., Matschinger, H., König, H.-H., Riedel-Heller, S. G. (2011). Institutionalisierung bei Demenzerkrankungen: Häufigkeit, Zeitpunkt und Einflussfaktoren von Heimübergängen. In: Dibelius, O., Maier, W. (Hrsg.). Versorgungsforschung für demenziell erkrankte Menschen. Stuttgart: Kohlhammer.

Quentin, W., Riedel-Heller, S. G., Luppa, M., Leicht, H., König, H.-H. (2011). Cost-of-Illness Studies and Neuropsychiatric Symptoms of Dementia. In: McNamara, P. (Ed.). Dementia. Volume 1: History and Incidence. California, Praeger.

Luppa, M., Heinrich, S., Matschinger, H., König, H.-H., Riedel-Heller, S. G. (2010). Direkte Kosten von Leipziger Allgemeinanzpatienten mit depressiven Störungen im Alter – eine Krankheitskostenstudie. In: Stoppe, G. (Hrsg.). Report Versorgungsforschung: Die Versorgung psychisch kranker alter Menschen (Band 3). Deutscher Ärzteverlag.

### Varia

Baer N, Sikorski C, Luppa M, Riedel-Heller SG, Schomerus G. (2016). [The Stigma Depression - An Interaction Between the Public Discourse and Accounts on the Lived Experience]. Psychiatrische Praxis, 43, 1-8. (1,302)

Riedel-Heller S, Luppa M. (2014). [Depression in late-Life - Substantial Public Health Impact.]. Psychotherapie, Psychosomatik und Medizinische Psychologie, 64, 477-479.

Riedel-Heller, SG, Luppa, M. (2013). [Depression in late life - what does epidemiology add?]. Psychiatrische Praxis, 40, 173-175. (1,618)

Riedel-Heller, S. G., Luppa, M., Seidler, A., Becker, T., Stengler, K. [Mental health and work : Concepts, evidence and implications for research and practice.] Nervenarzt. 2013 Jan 20. (0,681)

Riedel-Heller, S. G., Weyerer, S., König, H.-H., Luppa, M. (2012). Depression im Alter. Herausforderung fuer eine Gesellschaft der Langlebigen. Nervenarzt, 83, 1373-1378. (0,681)

Zimmermann, T., Kaduszkiewicz, H., van den Bussche, H., Schön, G., Wegscheider, K., Werle, J., Weyerer, S., Wiese, B., Olbrich, J., Weeg, D., Riedel-Heller, S. G., Luppa, M., Jessen, F., Abholz, H. H., Maier, W., Pentzek, M. (2012). Reliabilität ärztlicher Morbiditätsangaben zu chronischen Krankheiten. Bundesgesundheitsblatt, 55, 260-269. (0.658)

Luck, T., Luppa, M., Angermeyer, M. C., Riedel-Heller, S. G. (2011). Leichte kognitive Beeinträchtigungen und Demenzen: Eine Bevölkerungsperspektive – Ergebnisse der Leipziger Langzeitstudie in der Altenbevölkerung (LEILA75+). Sächsische Ärztekammer, 8, 426-431.

Luppa, M., König, H.-H., Riedel-Heller, S. G. (2011). Depressive Störungen im Alter – Häufigkeit und Versorgung aus einer Bevölkerungsperspektive. Geriatrie-Report, 6, 36-38.

Luppa, M., König, H.-H., Riedel-Heller, S. G. (2009). Kosten depressiver Störungen und Versorgungsimplicationen. neuro aktuell, 23, 29-32.

Luck, T., Luppa, M., Riedel-Heller, S. G. (2009). Institutionalisierung bei Demenz – Häufigkeit, Zeit und Einflussfaktoren. Monitor Versorgungsforschung, 3, 47-51.

Luppa, M., König, H.-H., Riedel-Heller, S. G. (2008). Kostenfaktor Depression. Die Kosten depressiver Störungen und Implikationen für die Versorgung. Monitor Versorgungsforschung, 1, 31-34.

Luppa, M., Riedel-Heller, S. G., König, H.-H. (2007). Erhebliche wirtschaftliche Folgen. Produktionsausfälle und Minderung der Arbeitsleistung durch Depression. Gesellschaftspolitische Kommentare, 1, 15-17.