

## Publications

### Original works/Originalarbeiten<sup>1</sup> & Reviews/Übersichtsartikel<sup>1</sup>

Hajek A, Brettschneider C, van den Bussche H, Kaduszkiewicz H, Oey A, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, Hesper K, Bleckwenn M, Scherer M, Riedel-Heller SG, Maier W, König HH, for the Agecode & Agequalide Study Groups. Longitudinal Analysis of Outpatient Physician Visits in the Oldest Old: Results of the Agequalide Prospective Cohort Study. *The Journal of Nutrition Health and Aging* 2018; DOI: 10.1007/s12603-018-0997-5. (F 2.772)

Stark A, Kaduszkiewicz H, Stein J, Maier W, Hesper K, Weyerer S, Werle J, Wiese B, Mamone S, König HH, Bock JO, Riedel-Heller SG, Scherer M. A qualitative study on older primary care patients' perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. *BMC Family Practice* 2018; Jan 3; 19(1): 2. DOI: 10.1186/s12875-017-0684-3. (IF 1.751)

Stein J, Röhr S, Luck T, Löbner M, Riedel-Heller SG. Indikationen<sup>1</sup> und Evidenz von international entwickelten Online-Coaches zur Intervention bei psychischen Erkrankungen – ein Meta-Review [Indication and Evidence of Internationally Developed Online Coaches as Intervention for Mental Illness - a Meta-Review]. *Psychiatrische Praxis* 2018; Jan;45(1): 7-15. DOI: 10.1055/s-0043-117050. Epub 2017 Aug 29. (IF 1.302)

Welzel FD, Stein J, Hajek A, König HH, Riedel-Heller SG. Frequent attenders in late life in primary care: a systematic review of European studies. *BMC Family Practice* 2017; Dec 20; 18(1): 104. DOI: 10.1186/s12875-017-0700-7. (IF 1.751)

Röhr S, Stein J, Luck T, Riedel-Heller SG. Internetbasierte Interventionen: Das bieten deutsche Krankenkassen an. *Psychiatrische Praxis* 2017; 44(8): 476-478. (IF 1.302)

Dorow M, Stein J, Pabst A, Weyerer S, Werle J, Maier W, Miebach L, Scherer M, Stark A, Wiese B, Moor L, Bock JO, König HH, Riedel-Heller SG. Categorical and dimensional perspectives on depression in elderly primary care patients - Results of the AgeMooDe study. *International Journal of Methods in Psychiatric Research* 2017; Sep 25. DOI: 10.1002/mpr.1577. [Epub ahead of print] (IF 3.176)

Rost T, Stein J, Löbner M, Kersting A, Luck-Sikorski C, Riedel-Heller SG. User Acceptance of Computerized Cognitive Behavioral Therapy for Depression: Systematic Review. *Journal of Medical Internet Research* 2017; 19(9): e309 DOI: 10.2196/jmir.7662. (IF 5.175)

Dorow M, Stein J, Förster F, Löbner M, Franz M, Günther R, Schröder R, Sommer D, Möller D, Dekoj MC, Becker T, Riedel-Heller SG. Der komplementäre Einsatz des internetbasierten Selbstmanagementprogramms „moodgym“ bei Menschen mit depressiven Erkrankungen in der stationären Versorgung – die Perspektive von Patienten und Behandlern [Implementation of the Internet-Based Self-Management Program “moodgym” in Patients with Depressive Disorders in Inpatient Clinical Settings – Patient and Expert Perspectives]. *Psychiatrische Praxis* 2017; Aug 29. doi: 10.1055/s-0043-117049. [Epub ahead of print] (IF 1.302)

Löbner M, Stein J, Luppä M, Konnopka A, Meisel HJ, Günther L, Meixensberger J, Stengler K, Angermeyer MC, König HH, Riedel-Heller SG. Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. *PLoS One* 2017; Aug 22; 12(8): e0183698. DOI: 10.1371/journal.pone.0183698. eCollection 2017. (IF 2.806)

Stein J, Pabst A, Luck T, Lühmann D, Hesel K, Jessen F, Bickel H, Mösch E, Pentzek M, Fuchs A, Wiese B, Mamone S, König HH, Brettschneider C, Werle J, Scherer M, Maier W, Weyerer S, Riedel-Heller SG for the AgeCoDe and AgeQualiDe Study Group. Unmet Care Needs in the Oldest Old Primary Care Patients with Cognitive Disorders: Results of the AgeCoDe and AgeQualiDe Study. *Dementia and Geriatric Cognitive Disorders* 2017; 44(1-2): 71-83. DOI: 10.1159/000478850. Epub 2017 Jul 25. (IF 3.511)

Hajek A, Brettschneider C, Mallon T, Ernst A, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, Wagner M, Hesel K, Maier W, Scherer M, Riedel-Heller SG\*, König HH\*. The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. *Health and Quality of Life Outcomes. Health and Quality of Life Outcomes* 2017; Jul 14; 15(1): 140. DOI: 10.1186/s12955-017-0715-8. (IF 2.143)

Alltag S, Stein J, Pabst A, Weyerer S, Werle J, Maier W, Miebach L, Scherer M, Stark A, Wiese B, Mamone S, König HH, Bock JO, Riedel-Heller SG for the AgeMooDe study group. Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. *Aging and Mental Health* 2017; May 19: 1-8. DOI: 10.1080/13607863.2017.1328480. (IF 2.658)

Gühne U, Stein J, Schwarzbach M, Riedel-Heller SG. [Importance of Work and Employment in the Treatment of People with Mental Illness]. *Psychotherapie Psychosomatik Medizinische Psychologie* 2017; 67(11): 457–464. DOI: 10.1055/s-0043-104855. (IF 0.869)

Alltag S, Nowossadeck S, Stein J, Hajek A, König HH, Riedel-Heller SG, Nowossadeck E. [Small Area Variation in Demographic Aging]. *Psychiatrische Praxis* 2017; 44(7): 413-416. DOI: 10.1055/s-0043-102151. (IF 1.302)

Löbner M, Stein J, Rost T, Förster F, Dorow M, Keller J, Weidauer E, Riedel-Heller SG. Innovative E-Health-Ansätze für komorbide Depressionen bei Patienten mit Adipositas: Nutzungsakzeptanz aus Patienten und Expertenperspektive [Innovative E-Health Approaches for Comorbid Depression in Patients with Obesity: Patient and Expert Perspectives on User Acceptance]. *Psychiatrische Praxis* 2017; 44(5): 286-295. DOI: 10.1055/s-00000062. (IF 1.302)

Dorow M, Löbner M, Stein J, Kind P, Markert J, Keller J, Weidauer E, Riedel-Heller SG. Die Nutzungsbereitschaft von Patienten mit Adipositas gegenüber neuen Medien in der Rehabilitationsnachsorge [Willingness of Patients with Obesity to Use New Media in Rehabilitation Aftercare]. *Die Rehabilitation* 2017; 56(3): 167–172. (IF 0.757)

Hajek A, Luck T, Brettschneider C, Posselt T, Lange C, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Bickel H, Mösch E, Wagner M, Hesel K, Maier W, Scherer JM, Riedel-Heller SG, König HH. Factors Affecting Functional Impairment among Elderly Germans - Results of a Longitudinal Study. *The Journal of Nutrition Health and Aging* 2017; 21(3): 299-306. DOI: 10.1007/s12603-016-0771-5. (F 2.772)

Bock JO, Hajek A, Weyerer S, Werle J, Wagner M, Maier W, Stark A, Kaduskiewicz H, Wiese B, Moor L, Stein J, Riedel-Heller SG, König HH. The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. *American Journal of Geriatric Psychiatry* 2017 Feb; 25(2): 131-141. DOI: 10.1016/j.jagp.2016.10.011. (IF 2.868)

Gühne U, Stein J, Weinmann S, Becker T, Riedel-Heller SG. [Housing Interventions in Severe Mental Illness - International Evidence from RCTs]. *Psychiatrische Praxis* 2017; 44(4): 194-205. DOI: 10.1055/s-0042-118594. (IF 1.302)

Dorow M, Löbner M, Stein J, Konnopka A, Meisel HJ, Günther L, Meixensberger J, Stengler K, König HH, Riedel-Heller SG. Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. *PLoS One* 2017; Jan 20; 12(1):e0170303. DOI: 10.1371/journal.pone.0170303. eCollection 2017. (IF 2.806)

Hajek A, Brettschneider C, Eisele M, Lühmann D, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, Hesel K, Wagner M, Maier W, Scherer M, Riedel-Heller SG\*, König HH\*. Disentangling the complex relation of disability and depressive symptoms in old age – results of a longitudinal study. *International Psychogeriatrics* 2017; 29(6): 885-895. DOI: 10.1017/S1041610216002507. (IF 2.423)

Hajek A, Brettschneider C, Posselt T, Lange C, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Riedel-Heller SG, Stein J, Bickel H, Weeg D, Hesel K, Wagner M, Maier W, Scherer M, Luck T, König HH (accepted, in press). How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. *Age and Ageing* 2017; Feb; 14: 1-8. DOI: 10.1093/ageing/afx012. (IF 4.282)

Hajek A, Brettschneider C, Lühmann D, Eisele M, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, Hesel K, Jessen F, Maier W, Scherer M, Riedel-Heller SG, König HH. Does visual impairment affect social ties in late life? Findings of a multicenter prospective cohort study in Germany. *Journal of Nutrition, Health and Ageing* 2017; 21(6): 692-698. DOI: 110.1007/s12603-016-0768-0. (IF 2.772)

Bock, JO, Hajek A, Lühmann D, Ernst A, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Weeg D, Wagner M, Scherer M, Riedel-Heller SG, Maier W, König HH. [Health Insurance in Old Age and Differences in Cognition, Depressive Symptoms and Health-Related Quality of Life]. *Psychiatrische Praxis* 2017; Jan 26. DOI: 10.1055/s-0042-116219. [Epub ahead of print]. (IF 1.302)

Luck-Sikorski, C, Stein, J, Heilmann, K, Maier, W, Kaduszkiewicz, H, Scherer, M, Weyerer, S, Werle, J, Wiese, B, Moor, L, Bock, J-O, König, H-H and Riedel-Heller, SG. Treatment preferences for depression in the elderly. *International Psychogeriatrics* 2017; 29(3): 389-398. (IF 2.423)

Hesel K, Bleckwenn M, Wiese B, Mamone S, Riedel-Heller SG, Stein J, Lühmann D, Posselt T, Fuchs A, Pentzek M, Weyerer S, Werle J, Weeg D, Bickel H, Brettschneider C, König HH, Maier W, Scherer M, Wagner M. Late-Life Depressive Symptoms and Lifetime History of Major Depression: Cognitive Deficits are Largely Due to Incipient Dementia rather than Depression. *Journal of Alzheimer's Disease*. 2016 Aug 1; 54(1):185-99. doi: 10.3233/JAD-160209. (IF 3.731)

Wolfsgruber S, Kleineidam L, Wagner M, Mösch E, Bickel H, Lühmann D, Ernst A, Wiese B, Steinmann S, König HH, Brettschneider C, Luck T, Stein J, Weyerer S, Werle J, Pentzek M, Fuchs A, Maier W, Scherer M, Riedel-Heller SG, Jessen F for the AgeCoDe Study Group. Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. *Journal of Alzheimer's Disease* 2016 Aug 24; 54(3): 1135-1146. (IF 3.731)

Hoell A, Weyerer S, Maier W, Wagner M, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, König HH, Bock JO, Stein J, Riedel-Heller SG. The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. *Journal of Affective Disorders* 2016; 204: 247–254. (IF 3.432)

Gühne U, Stein J, Riedel-Heller SG. [Depression in Old Age - Challenge of an Ageing Society] Depression im Alter – Herausforderung langlebiger Gesellschaften. *Psychiatrische Praxis* 2016; 43(02): 107-110. (IF 1.302)

Dorow M, Löbner M, Stein J, Pabst A, Konnopka A, Meisel HJ, Günther L, Meixensberger J, Stengler K, König HH, Riedel-Heller SG. The Course of Pain Intensity in Patients Undergoing Herniated Disc Surgery: A 5-Year Longitudinal Observational Study. *PLoS One* 2016; 11(5): e0156647. DOI: 10.1371/journal.pone.0156647. eCollection 2016. (IF 2.806)

Stein J, Pabst A, Weyerer S, Werle J, Maier W, Miebach L, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, Moor L, Bock JO, König HH & Riedel-Heller SG. Unmet care needs of the oldest old with late-life depression: a comparison of patient, caring relative and general practitioner perceptions – Results of the AgeMooDe study. *Journal of Affective Disorders* 2016; 205: 182-189. (IF 3.432)

Bock JO, Brettschneider C, Weyerer S, Werle J, Wagner M, Maier W, Scherer M, Kaduszkiewicz H, Wiese B, Moor L, Stein J, Riedel-Heller SG, König HH. Excess health care costs of late-life depression – Results of the AgeMooDe study. *Journal of Affective Disorders* 2016; 199: 139–147. (IF 3.432)

Stein J, Pabst A, Weyerer S, Werle J, Maier W, Heilmann K, Scherer M, Stark A, Kaduszkiewicz H, Wiese B, Mamone S, König HH, Bock JO, & Riedel-Heller SG. The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe Study. *Journal of Affective Disorders* 2016; 193: 309–317. (IF 3.432)

Hajek A, Brettschneider C, Ernst A, Posselt T, Mamone S, Wiese B, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, Kleineidam L, Hesper K, Maier W, Scherer M, Riedel-Heller SG, König HH. Einflussfaktoren auf die Pflegebedürftigkeit im Längsschnitt [Longitudinal Predictors of the Need for Care]. *Gesundheitswesen* 2016; 79(2): 73-79. DOI: 10.1055/s-0041-111841. (IF 0.538)

Hajek A, Brettschneider C, Posselt T, Lange C, Mamone S, Wiese B, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Luck T, Bickel H, Mösch E, Hesper K, Jessen F, Maier M, Scherer M, Riedel-Heller SG, König HH for the AgeCoDe Study Group. Predictors of frailty in old age – Results of a longitudinal study. *The Journal of Nutrition, Health and Aging* 2016; 20(9): 952-957. (IF 2.772)

Hajek A, Brettschneider C, Ernst A, Posselt T, Wiese B, Prokein J, Weyerer S, Werle J, Fuchs A, Pentzek M, Stein J, Riedel-Heller SG, Bickel H, Mösch E, Hesper K, Jessen F, Maier W, Scherer M, König HH. Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. *Social Psychiatry and Psychiatric Epidemiology* 2016; 51(4): 607-616. DOI: 10.1007/s00127-015-1138-7 (IF 2.922)

Hajek A, Brettschneider C, Lange C, Posselt T, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, Wagner M, Jessen F, Maier W, Scherer M, Riedel-Heller SG, König HH; AgeCoDe Study Group. Longitudinal Predictors of Institutionalization in Old Age. *PLoS One* 2015; Dec 14; 10(12): e0144203. DOI: 10.1371/journal.pone.0144203. eCollection 2015. (IF 3.057)

Hajek A, Brettschneider C, Lange C, Posselt T, Wiese B, Steinmann S, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Luck T, Bickel H, Mösch E, Wolfsgruber S, Hesper K, Maier W, Scherer M, Riedel-Heller SG, König HH. Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. *Quality of Life Research* 2015; 25(5): 1159–1168. DOI: 10.1007/s11136-015-1166-5. (IF 2.429)

Gühne U, Lippa M, Stein J, Wiese B, Weyerer S, Maier W, König HH, Riedel-Heller SG. „Die vergessenen Patienten“ – Barrieren und Chancen einer optimierten Behandlung depressiver Erkrankungen im Alter. *Psychiatrische Praxis* 2015; 43(07): 387-394. DOI:

<http://dx.DOI.org/10.1055/s-0035-1552639>. (IF 1.612)

Hajek A, Brettschneider C, Ernst A, Lange C, Wiese B, Prokein J, Weyerer S, Werle J, Pentzek M, Fuchs A, Stein J, Bickel H, Mösch E, Hesel K, Jessen F, Maier W, Scherer M, Riedel-Heller SG, König HH. Complex coevolution of depression and health-related quality of life in old age. *Quality of Life Research* 2015; 24(11): 2713-2722. (IF 2.429)

Gühne U, Stein J, Scherer M, Wiese B, Weyerer S, Maier W, König HH, Riedel-Heller SG. Need for Guideline Recommendations on Treatment of Late-Life Depression from the Perspective of Experts - Results of a Qualitative Study. *Fortschritte der Neurologie Psychiatrie* 2015; 83: 232–237. (IF 0.803)

Stein J, Luppá M, König HH, Riedel-Heller SG. The German version of the Camberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. *International Psychogeriatrics* 2015; 27(11): 1919-1926. (IF 1.90)

Stein J, Luppá M, Kaduszkiewicz H, Eisele M, Weyerer S, Werle J, Bickel H, Mösch E, Wiese B, Prokein J, Pentzek M, Fuchs A, König HH, Brettschneider C, Hesel K, Wagner M, Riedel-Heller SG, Scherer M, Maier W for the AgeCoDe Study Group. Is the short form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? *Psychological Assessment* 2015; 27(3), 895-904. (IF 2.220)

Stein J, Luppá M, Ruzanska U, Sikorski C, König HH, Riedel-Heller SG. Measuring negative attitudes towards overweight and obesity in the German population – Psychometric properties and reference values for the German short version of the Fat Phobia Scale (FPS). *PlosOne* 2014; Dec 4; 9(12): e114641. DOI: 10.1371/journal.pone.0114641. eCollection 2014. (IF 3.534)

Stein J, Luppá M, Mahnke J, Weyerer S, Schomerus G, Riedel-Heller SG. Depressionsscreening am Telefon mittels der Allgemeinen Depressionsskala (ADS) – Ergebnisse einer bevölkerungsrepräsentativen Erhebung. *Psychiatrische Praxis* 2014; 41(3): 135-141. (IF 1.639)

Stein J, Luppá M, König HH, Riedel-Heller SG. Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell Assessment of Need for the Elderly (CANE) – a pilot study. *International Psychogeriatrics* 2014; 26(2): 285-295. (IF 2.188)

Wolfsgruber S, Jessen F, Wiese B, Stein J, Bickel H, Mösch E, Weyerer S, Werle J, Pentzek M, Fuchs A, Köhler M, Bachmann C, Riedel-Heller SG, Scherer M, Maier W, Wagner M for the AgeCoDe study group. The CERAD Neuropsychological Assessment Battery Total Score detects and predicts Alzheimer disease dementia with high diagnostic accuracy. *The American Journal of Geriatric Psychiatry* 2014; 22(19): 1017-1028. (IF 4.131)

Fuchs J, Scheidt-Nave C, Hinrichs T, Mergenthaler A, Stein J, Riedel-Heller SG, Grill E. Indicators for Healthy Ageing — A Debate. *International Journal of Environmental Research and Public Health*. 2013; 10(12): 6630-6644; DOI: 10.3390/ijerph10126630. (IF 1.998)

Stein J, Luppá M. Media Screen: Allgemeine Depressionsskala (ADS). *Psychiatrische Praxis* 2012; 39(06): 302-304; DOI: 10.1055/s-0032-1326702. (IF 1.639)

Luppá M, Riedel-Heller SG, Stein J, Leicht H, König HH, van den Bussche H, Maier W, Scherer M, Bickel H, Mösch E, Werle J, Pentzek M, Fuchs A, Eisele M, Jessen F, Tebarth F, Wiese B, Weyerer S for the AgeCoDe study group. Predictors of institutionalisation in

incident dementia – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe study). *Dementia and Geriatric Cognitive Disorders* 2012; 33: 282-288. (IF 2.141)

Stein J, Luppá M, Maier W, Tebarth F, Hesel K, Scherer M, Zimmermann T, Eisele M, Bickel H, Mösch E, Weyerer S, Werle J, Pentzek M, Fuchs A, Wiese B, Prokein J, König HH, Leicht H, Riedel-Heller SG for the AgeCoDe study group. The assessment of changes in cognitive functioning in the elderly: Age- and education-specific Reliable Change Indices for the SIDAM. *Dementia and Geriatric Cognitive Disorders* 2012; 33: 73–83. (IF 2.141)

Stein J, Luppá M, Maier W, Wagner M, Wolfsgruber S, Scherer M, Koehler M, Eisele M, Weyerer S, Werle J, Bickel H, Mösch E, Wiese B, Prokein J, Pentzek M, Fuchs A, Leicht H, König HH, Riedel-Heller SG for the AgeCoDe study group. Assessing cognitive changes in the elderly: Reliable Change Indices for the Mini-Mental State Examination. *Acta Psychiatrica Scandinavica* 2012; 126: 208–218. (IF 4.857)

Stein J, Luppá M, Luck T, Maier W, Wagner M, Daerr M, van den Bussche H, Zimmermann T, Köhler M, Bickel H, Mösch E, Weyerer S, Kaufeler T, Pentzek M, Wiese B, Wollny A, König HH, Riedel-Heller SG for the AgeCoDe study group. The assessment of changes in cognitive functioning: Age-, education-, and gender-specific Reliable Change Indices (RCIs) for older adults tested on the CERAD-NP battery. Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *The American Journal of Geriatric Psychiatry* 2012; 20(1): 84-97. (IF 3.638)

Stein J, Hensel A, Luppá M, Luck T, Angermeyer MC, Riedel-Heller SG. Die Messung kognitiver Veränderung bei älteren Menschen: Veränderungsnormen für SISCO und MMST. *Klinische Diagnostik und Evaluation* 2010; 3: 257-275.

Stein J, Luppá M, Brähler E, König HH, Riedel-Heller SG. The Assessment of Changes in Cognitive Functioning: Reliable Change Indices for Neuropsychological Instruments in the Elderly - A Systematic Review. *Dementia and Geriatric Cognitive Disorders* 2010; 29: 275-286. (IF 2.455)

Luck T, Riedel-Heller SG, Wiese B, Stein J, Weyerer S, Werle J, Kaduszkiewicz H, Wagner M, Mösch E, Zimmermann T, Maier W, Bickel H, van den Bussche H, Jessen F, Fuchs A, Pentzek M für die AgeCoDe study group. CERAD-NP-Testbatterie: Alters-, geschlechts- und bildungsspezifische Normen ausgewählter Subtests - Ergebnisse der German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Zeitschrift für Gerontologie und Geriatrie* 2009; 42: 372-384. (IF 0.804)

---

<sup>1</sup>Es wurde jeweils der Impact Factor (aus ISI Journal Citation Reports, Stand 2017) der Zeitschriften aus dem Erscheinungsjahr des jeweiligen Artikels angeführt. Für jüngere Arbeiten wurde der aktuell verfügbare Impact Factor angegeben.