

Publikationsverzeichnis

Originalarbeiten

Lammer, L., Beyer, F., Lupp, M., Sanders, C., Baber, R., Engel, C., Wirkner, K., Löffler, M., Riedel-Heller, S. G., Villringer, A., & Witte, A. V. (2023). Impact of social isolation on grey matter structure and cognitive functions: A population-based longitudinal neuroimaging study. *eLife*, 12, e83660. (8,713)

Wittmann, F. G., Zülke, A., Pabst, A., Lupp, M., Thyrian, J. R., Kästner, A., Hoffmann, W., Kaduszkiewicz, H., Döhning, J., Escales, C., Gensichen, J., Zöllinger, I., Kosilek, R. P., Wiese, B., Oey, A., König, H. H., Brettschneider, C., Frese, T., & Riedel-Heller, S. G. (2023). COVID-19 government measures and their impact on mental health: a cross-sectional study of older primary care patients in Germany. *Frontiers in Public Health*, 11, 1141433. (5,180)

Zülke, A. E., Lupp, M., Luck, T., & Riedel-Heller, S. G. (2023). Short report: A trend analysis of attitudes towards early diagnosis of dementia in Germany. *PloS one*, 18, e0272896. (3,752)

Dafsari, F. S., Bewernick, B., Böhringer, S., Domschke, K., Elsaesser, M., Löbner, M., Lupp, M., Preis, L., Püsken, J., Schmitt, S., Szekely, A. J., Hellmich, M., Müller, W., Wagner, M., Peters, O., Frölich, L., Riedel-Heller, S., Schramm, E., Hautzinger, M., Jessen, F. (2023). Cognitive Behavioral Therapy for Late-Life Depression (CBTlate): Results of a Multicenter, Randomized, Observer-Blinded, Controlled Trial. *Psychotherapy and Psychosomatics*, 1–13. (25,617)

Jung, F. U., Gerhards S., Lupp, M., Löbner, M., & Riedel-Heller, S. G. (2023). The impact of BMI on psychological health in oldest old individuals-Are there differences between women and men?. *PloS one*, 18, e0283089. (3,752)

Wittmann, F. G., Zülke, A., Schultz, A., Claus, M., Röhr, S., Lupp, M., Riedel-Heller, S. G. (2023). Beneficial and impeding factors for the implementation of health-promoting lifestyle interventions - a gender-specific focus group study. *International Journal of Environmental Research and Public Health*, 20, 3530. (4,614)

Gerhards, S. K., Lupp, M., Röhr, S., Pabst, A., Bauer, A., Frankhänel, T., Döhning, J., Escales, C., Zöllinger, I. R., Oey, A., Brettschneider, C., Wiese, B., Hoffmann, W., Gensichen J., König H. H., Frese T., Thyrian J. R., Kaduszkiewicz H., Riedel-Heller S. G. (2023). Depression and Anxiety in Old Age during the COVID-19 Pandemic: A Comparative Study of Individuals at Cardiovascular Risk and the General Population. *International Journal of Environmental Research and Public Health*, 20, 2975. (4,614)

Jung, F. U., Bodendieck, E., Bleckwenn, M., Hussenoeder, F. S., Lupp, M., Riedel-Heller, S. G. (2023) Burnout, work engagement and work hours - how physicians' decision to work less is associated with work-related factors. *BMC Health Services Research*, 23, 157. (2,908)

Gerhards, S. K., Pabst, A., Riedel-Heller, S. G., Lupp, M. (2023). Die Entwicklung der psychischen Gesundheit bei hochaltrigen Individuen während der COVID- 19-Pandemie und die Rolle sozialer Unterstützung [The development of mental health in

oldest-old individuals during the COVID-19 pandemic and the role of social support]. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 66, 241-247. (1,480)

Zülke, A. E., Riedel-Heller, S. G., Wittmann, F., Pabst, A., Röhr, S., Luppa, M. (2023). Gender-Specific Design and Effectiveness of Non-Pharmacological Interventions against Cognitive Decline - Systematic Review and Meta-Analysis of Randomized Controlled Trials. The Journal of Prevention of Alzheimer's Disease, 10, 69-82. (5,020)

Zülke, A. E., Luppa, M., Köhler, S., Riedel-Heller, S. G. (2022). Knowledge of risk and protective factors for dementia in older German adults A population-based survey on risk and protective factors for dementia and internet-based brain health interventions. PLoS One, 17, e0277037. (2,980)

Kleineidam, L., Wagner, M., Guski, J., Wolfsgruber, S., Miebach, L., Bickel, H., König, H. H., Weyerer, S., Lühmann, D., Kaduszkiewicz, H., Luppa, M., Röhr, S., Pentzek, M., Wiese, B., Maier, W., Scherer, M., Kornhuber, J., Peters, O., Frölich, L., Wiltfang, J., Lewczuk, P., Hüll, M., Ramirez, A., Jessen, F., Riedel-Heller, S. G., Hesper, K. (2022). Disentangling the relationship of subjective cognitive decline and depressive symptoms in the development of cognitive decline and dementia. Alzheimers and Dementia, Epub Oct 11. (11,670)

Wendel, F., Bauer, A., Blotenberg, I., Brettschneider, C., Buchholz, M., Czock, D., Döhring, J., Escales, C., Frese, T., Hoffmann, W., Kaduszkiewicz, H., König, H. H., Löbner, M., Luppa, M., Schwenker, R., Thyrian, J. R., Weißenborn, M., Wiese, B., Zöllinger, I., Riedel-Heller, S. G., Gensichen, J. (2022). Social Network and Participation in Elderly Primary Care Patients in Germany and Associations with Depressive Symptoms-A Cross-Sectional Analysis from the AgeWell.de Study. Journal of Clinical Medicine, 11, 5940. (4,964)

Pazan, F., Breunig, H., Weiss, C., Röhr, S., Luppa, M., Pentzek, M., Bickel, H., Weeg, D., Weyerer, S., Wiese, B., König, H. H., Brettschneider, C., Hesper, K., Maier, W., Scherer, M., Riedel-Heller, S., Wagner, M., Wehling, M. (2022). Higher FORTA (Fit FOR The Aged) scores are associated with poor functional outcomes, dementia, and mortality in older people. European Journal of Clinical Pharmacology, 78, 1851-1859. (3,064)

Zwar, L., König, H. H., van der Leeden, C., Lühmann, D., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Luppa, M., Löbner, M., Weeg, D., Mösch, E., Hesper, K., Wagner, M., Maier, W., Riedel-Heller, S. G., Scherer, M., Hajek, A. (2022). Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy? Aging and Mental Health, 26, 1862-1873. (3,658)

Jung, F. U., Bodendieck, E., Hussenoeder, F. S., Luppa, M., Riedel-Heller, S. G. (2022). It's about time - Associations between working time dimensions and well-being of physicians. Chronobiology International, 39, 1297-1305. (2,877)

Buczak-Stec, E. W., Hajek, A., Pabst, A., Brettschneider, C., van den Bussche, H., Wiese, B., Weyerer, S., Werle, J., Hoell, A., Pentzek, M., Fuchs, A., Luppa, M.,

Löbner, M., Stein, J., Förster, F., Weeg, D., Mösch, E., Hesel, K., Scherer, M., Maier, W., Angermeyer, M. C., Wagner, M., Riedel-Heller, S. G., König, H. H. (2022). Frequency and gender differences in the use of professional home care in late life. Findings from three German old-age cohorts. *Frontiers in Medicine*, 9, 924818. (5,058)

Gerhards, S. K., Pabst, A., Röhr, S., Luppa, M., Riedel-Heller, S.G. (2022). Coping with stress during the COVID-19 pandemic in the oldest-old population. *European Journal of Ageing*, 11, 1-10. (1,470)

Funke, K., Bernard, M., Luppa, M., Riedel-Heller, S. G., Luck, T. (2022). Alltagsbeeinträchtigungen bei neurokognitiven Störungen: Entwicklung eines differenzierten Erfassungsinstrumentes für Forschung und Praxis [Impaired activities of daily living in neurocognitive disorders: Development of a complex assessment for research and practice]. *Nervenarzt*, 93, 840-843. (1,264)

Hussenoeder, F. S., Conrad, I., Pabst, A., Luppa, M., Stein, J., Engel, C., Zachariae, S., Zeynalova, S., Yahiaoui-Doktor, M., Glaesmer, H., Hinz, A., Witte, V., Wichmann, G., Kirsten, T., Löffler, M., Villringer, A., Riedel-Heller, S. G. (2022). Different Areas of Chronic Stress and Their Associations with Depression. *International Journal of Environmental Research and Public Health*, 19, 8773. (3,390)

Maier, A., Durrant-Finn, C., Pabst, A., Löbner, M., Eisele, M., Brettschneider, C., Hesel, K., Kleineidam, L., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Weeg, D., Mösch, E., Wiese, B., Oey, A., van den Bussche, H., König, H. H., Wagner, M., Maier, W., Riedel-Heller, S. G., Scherer, M., Luppa, M. (2022). Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AgeQualiDe prospective cohort study. *Journal of Affective Disorders*, 308, 494-501. (6,533)

Hajek, A., Brettschneider, C., Mallon, T., Kaduszkiewicz, H., Oey, A., Wiese, B., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Conrad, I., Luppa, M., Weeg, D., Mösch, E., Kleineidam, L., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H.-H. (2022). Social support and health-related quality of life among the oldest old - longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. *Quality of Life Research*, 31, 1667-1676. (4,147)

Weitzel, E. C., Pabst, A., Luppa, M., Kersting, A., König, H.-H., Löbner, M., Riedel-Heller, S. G. (2022). Are self-managed online interventions for depression effective in improving behavioral activation? A secondary analysis of a cluster-randomized controlled trial. *J Affect Disord*, 308, 413-420. (6,533)

Grothe, J., Röhr, S., Luppa, M., Pabst, A., Kleineidam, L., Hesel, K., Fuchs, A., Pentzek, M., Oey, A., Wiese, B., Lühmann, D., van den Bussche, H., Weyerer, S., Werle, J., Weeg, D., Bickel, H., Scherer, M., König, H. H., Hajek, A., Wagner, M., Riedel-Heller, S. G. (2022). Social Isolation and Incident Dementia in the Oldest-Old- A Competing Risk Analysis. *Frontiers in Psychiatry*, 13, 834438. (4,157)

Löbner, M., Stein, J., Luppa, M., Bleckwenn, M., Mehnert-Theuerkauf, A., Riedel-Heller, S. G. (2022). What Comes after the Trial? An Observational Study of the Real-World Uptake of an E-Mental Health Intervention by General Practitioners to

Reduce Depressive Symptoms in Their Patients. *International Journal of Environmental Research and Public Health*, 19, 6203. (4,614)

Grothe, J., Luppa, M., Dietzel, J., Schomerus, G., Sommerlad, A., Riedel-Heller, S. G., Röhr, S. (2022). Psychometric Evaluation of the German Version of the Social Functioning in Dementia Scale (SF-DEM). *Journal of Alzheimer's Disease*, 86, 1231-1241. (4,472)

Jung, F. U., Bodendieck, E., Bleckwenn, M., Hussenöder, F., Luppa, M., Riedel-Heller, S. G. (2022). Renteneintrittswünsche und mögliche Determinanten bei Hausärztinnen und Hausärzten [Views on Retirement by General Practitioners]. *Gesundheitswesen*, Epub Mar 25. (0,996)

Buczak-Stec, E. W., Hajek, A., van den Bussche, H., Eisele, M., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Luppa, M., Löbner, M., Weeg, D., Mösch, E., Hesel, K., Wagner, M., Riedel-Heller, S. G., Maier, W., Scherer, M., König, H. H. (2022). Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. *Frontiers in Medicine*, 9, 815419. (5,058)

Cardona, M. I., Weißenborn, M., Zöllinger, I., Kroeber, E. S., Bauer, A., Luppa, M., Pabst, A., Czock, D., König, H. H., Wiese, B., Gensichen, J., Frese, T., Kaduszkiewicz, H., Hoffmann, W., Riedel-Heller, S. G., Thyrian, J. R. (2022). Physical Activity Determinants in Older German Adults at Increased Dementia Risk with Multimorbidity: Baseline Results of the AgeWell.de Study. *International Journal of Environmental Research and Public Health*, 19, 3164. (4,614)

Hajek, A., Brettschneider, C., Mallon, T., Kaduszkiewicz, H., Oey, A., Wiese, B., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Conrad, I., Luppa, M., Weeg, D., Mösch, E., Kleineidam, L., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H.-H. (2022). Social support and health-related quality of life among the oldest old - longitudinal evidence from the multicenter prospective AgeCoDe-AgeQualiDe study. *Quality of Life Research*, 31, 1667-1676. (4,147)

Hajek, A., Buczak-Stec, E., van den Bussche, H., Eisele, M., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Luppa, M., Pabst, A., Weeg, D., Bickel, H., Kleineidam, L., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H.-H. (2022). Factors Leading to Institutionalization among the Oldest Old: Longitudinal Findings from the AgeCoDe-AgeQualiDe Study. *Gerontology*, 68, 894-902. (5,140)

Jung, F., Bodendieck, E., Bleckwenn, M., Hussenöder, F., Luppa, M., & Riedel-Heller, S. G. (2021). Workload, Work Engagement and Job Size—How Physicians' Decision to Work Less Is Influenced by the Work-Related State of Mind. Preprint Dec 13.

Lammer, L., Beyer, F., Luppa, M., Sander, C., Baber, R., Engel, C., Wirkner, K., Loeffler, M., Riedel-Heller, S. G., Villringer, A., Witte, A. V. (2021). Social isolation and the aging brain. Social isolation is linked to declining grey matter structure and cognitive functions in the LIFE-Adult panel study. Preprint Dec 16.

Welzel, F. D., Luppa, M., Pabst, A., Pentzek, M., Fuchs, A., Weeg, D., Bickel, H., Weyerer, S., Werle, J., Wiese, B., Iey, A., Brettschneider, C., König, H.-H., Hesper, K., van den Bussche, H., Eisele, M., Maier, W., Scherer, M., Wagner, M., Riedel-Heller, S. G. (2021). Incidence of Anxiety in Latest Life and Risk Factors. Results of the AgeCoDe/AgeQualiDe Study. *International Journal of Environmental Research and Public Health*, 18, 12786. (2,849)

Neubert, L., König, H.-H., Löbner, M., Luppa, M., Pentzek, M., Fuchs, A., Weeg, D., Bickel, H., Oey, A., Wiese, B., Weyerer, S., Werle, J., Hesper, K., Wagner, M., Luehmann, D., Van der Leeden, C., Maier, W., Scherer, M., Riedel-Heller, S. G., Brettschneider, C. (2021). Excess costs of dementia in old age (85+) in Germany: Results from the AgeCoDe-AgeQualiDe study. *The Journal of the Economics of Ageing*, 20, 100346. (1,911)

Zülke, A. E., Luppa, M., Röhr, S., Weißenborn, M., Bauer, A., Samos, F.-A. Z., Kühne, F., Zöllinger, J., Brettschneider, C., Oey, A., Czock, D., Frese, T., Gesichen, J., Haefeli, W. E., Hoffmann, W., Kaduszkiewicz, H., König, H.-H., Thyrian, J. R., Wiese, B., Riedel-Heller, S. G. (2021). Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. *BMC Geriatrics*, 21, 688. (3,177)

Zülke, A. E., Riedel-Heller, S. G., Wittmann, F., Pabst, A., Roehr, S., Luppa, M. (2021). Gender-specific design and effectiveness of non-pharmacological interventions against cognitive decline and dementia-protocol for a systematic review and meta-analysis. *PLoS One*, 16, e0256826. (2,740)

Quittschalle, J., Pabst, A., Löbner, M., Luppa, M., Hesper, K., Wagner, M., van den Bussche, H., Hajek, A., König, H.-H., Wiese, B., Angermeyer, M. C., Maier, W., Scherer, M., Riedel-Heller, S. G. (2021). Association of Alcohol and Tobacco Consumption with Depression Severity in the Oldest Old. Results from the Age Different Old Age Cohort Platform. *International Journal of Environmental Research and Public Health*, 18, 7959. (2,849)

Zwar, L., König, H.-H., van der Leeden, C., Lühmann, D., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Luppa, M., Löbner, M., Weeg, D., Mösch, E., Hesper, K., Wagner, M., Maier, W., Riedel-Heller, S. G., Scherer, M., Hajek, A. (2021). Do oldest old individuals perceive receipt of informal care as a restriction or support of their autonomy?. *Journal of Mental Health and Aging*, 2, 1-12. (3,648)

Bär, J., Pabst, A., Röhr, S., Luppa, M., Renner, A., Nagl, M., Dams, J., Grochtdreis, T., Kersting, A., König, H.-H., Riedel-Heller, S. G. (2021). Mental Health Self-Stigma of Syrian Refugees With Posttraumatic Stress Symptoms: Investigating Sociodemographic and Psychopathological Correlates. *Frontiers in Psychiatry*, 12, 642618. (4,863)

Förster, F., Luppa, M., Pabst, A., Hesper, K., Kleineidam, L., Fuchs, A., Pentzek, M., Kaduszkiewicz, H., van der Leeden, C., Hajek, A., König, H.-H., Oey, A., Wiese, B., Mösch, E., Weeg, D., Weyerer, S., Werle, J., Maier, W., Scherer, M., Wagner, M., Riedel-Heller, S. G. (2021). The Role of Social Isolation and the Development of

Depression. A Comparison of the Widowed and Married Oldest Old in Germany. *International Journal of Environmental Research and Public Health*, 18, 6986. (2,849)

Welzel, F. D., Bär, J., Stein, J., Löbner, M., Pabst, A., Luppa, M., Grochtdreis, T., Kersting, A., Blüher, M., Luck-Sikorski, C., König, H.-H., Riedel-Heller, S. G. (2021). Using a brief web-based 5A intervention to improve weight management in primary care: results of a cluster-randomized controlled trial. *BMC Family Practise*, 22, 61. (2,022)

Hajek, A., Luppa, M., Brettschneider, C., van der Leeden, C., van den Bussche, H., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Löbner, M., Stein, J., Weeg, D., Bickel, H., Heser, K., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H.-H. (2021). Correlates of institutionalization among the oldest old-Evidence from the multicenter AgeCoDe-AgeQualiDe study. *International Journal of Geriatric Psychiatry*, 36, 1095-1102. (2,675)

Hajek, A., Brettschneider, C., Mallon, T., Kaduszkiewicz, H., Wiese, B., Oey, A., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Röhr, S., Luppa, M., Weeg, D., Bickel, H., Heser, K., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H.-H. (2021). Frailty and Autonomy among the Oldest Old: Evidence from the Multicenter Prospective AgeCoDe- AgeQualiDe Study. *Gerontology*, 67, 591-598. (5,090)

Leve, V., Pentzek, M., Fuchs, A., Bickel, H., Weeg, D., Weyerer, S., Werle, J., König, H.-H., Hajek, A., Luhmann, D., van den Bussche, H., Wiese, B., Oey, A., Heser, K., Wagner, M., Luppa, M., Röhr, S., Maier, W., Scherer, M., Kaduszkiewicz, H., Riedel-Heller, S. G. (2021). GPs' awareness of car driving among oldest patients - exploratory results from a primary care cohort. *BJGP Open*, 5, BJGPO.2020.0145. (4,190)

Hajek, A., Brettschneider, C., Mallon, T., Lühmann, D., Oey, A., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Röhr, S., Luppa, M., Mösch, E., Weeg, D., Heser, K., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H.-H. (2021). Depressive Symptoms and Frailty Among the Oldest Old: Evidence from a Multicenter Prospective Study. *Journal of the American Medical Directors Association*, 22, 577-582.e2. (7,802)

Röhr, S., Zülke, A., Luppa, M., Brettschneider, C., Weißenborn, M., Kühne, F., Zöllinger, I., Samos, F. Z., Bauer, A., Döhring, J., Krebs-Hein, K., Oey, A., Czock, D., Frese, T., Gensichen, J., Haefeli, W. E., Hoffmann, W., Kaduszkiewicz, H., König, H.-H., Thyrian, J. R., Wiese, B., Riedel-Heller, S. G. (2021). Recruitment and Baseline Characteristics of Participants in the AgeWell.de Study-A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. *International Journal of Environmental Research and Public Health*, 18, 408. (2,849)

Zuelke, A. E., Luppa, M., Löbner, M., Pabst, A., Schlapke, C., Stein, J., Riedel-Heller S. G. (2021). Effectiveness and Feasibility of Internet-Based Interventions for Grief After Bereavement: Systematic Review and Meta-analysis. *JMIR Mental Health*, 8, e29661. (4,390)

Hajek, A., Brettschneider, C., Eisele, M., Kaduszkiewicz, H., Mamone, S., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Stein, J., Luck, T., Weeg, D., Mösch, E., Hesper, K., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H.-H., AgeCoDe² and AgeQualiDe Study Group. (2020). Correlates of hospitalization among the oldest old: results of the AgeCoDe-AgeQualiDe prospective cohort study. *Aging Clinical and Experimental Research*, 32, 1295-1301. (2,697)

Schladitz, K., Förster, F., Löbner, M., Welzel, F., Stein, J., Luppa, M., Riedel-Heller, S. G. (2020). Grief and loss in elderly people: A qualitative study regarding the user acceptance of an internet-based self-help program from user and expert perspective. *Zeitschrift für Evidenz, Fortbildung und Qualität im Gesundheitswesen*, 150-152, 112-123. (0,810)

Pabst, A., Löbner, M., Stein, J., Luppa, M., Kersting, A., König, H.-H., Riedel-Heller, S. G. (2020). Internet-Based Cognitive Behavior Therapy Only for the Young? A Secondary Analysis of a Randomized Controlled Trial of Depression Treatment. *Frontiers in Psychiatry*, 11, 735. (3,532)

Luppa, M., Giersdorf, J., Riedel-Heller, S., Prütz, F., Rommel, A. (2020). Frequent attenders in the German healthcare system: determinants of high utilization of primary care services. Results from the cross-sectional German health interview and examination survey for adults (DEGS). *BMC Family Practice*, 21, 10. (2,022)

Schwenke, M., Luppa, M., Pabst, A., Welzel, F. D., Löbner, M., Luck-Sikorski, C., Kersting, A., Blüher, M., Riedel-Heller, S. G. (2020). Attitudes and treatment practice of general practitioners towards patients with obesity in primary care. *BMC Family Practice*, 21, 169. (2,022)

Hesper, K., Stein, J., Luppa, M., Wiese, B., Mamone, S., Weyerer, S., Werle, J., König, H.-H., Hajek, A., Scherer, M., Stark, A., Kaduszkiewicz, H., Maier, W., Riedel-Heller, S. G., Wagner, M. (2020). Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 75, 811-820. (3,502)

Quittschalle, J., Stein, J., Luppa, M., Pabst, A., Löbner, M., Koenig, H.-H., Riedel-Heller, S. G. (2020). Internet Use in Old Age: Results of a German Population-Representative Survey. *Journal of Medical Internet Research*, 22, e15543. (5,034)

Schwenke, M., Löbner, M., Riedel-Heller, S. G., Luppa, M. (2020). Obesity and Depression in Primary Care - Results from the INTERACT Study. *Psychiatrische Praxis*, 47, 388-391. (1,120)

Backhaus, L., Pabst, A., Löbner, M., Riedel-Heller, S. G., Luppa, M. (2020). Treatment Preferences of Depressed Primary Care Patients. *Psychiatrische Praxis*, 47, 39-42. (1,120)

Dafsari, F. S., Bewernick, B., Biewer, M., Christ, H., Domschke, K., Froelich, L., Hellmich, M., Luppa, M., Peters, O., Ramirez, A., Riedel-Heller, S. G., Schramm, E., Vry, M. S., Wagner, M., Hautzinger, M., Jessen, F. (2019). Cognitive behavioural therapy for the treatment of late life depression: study protocol of a multicentre,

randomized, observer-blinded, controlled trial (CBTlate). *BMC Psychiatry*, 19, 423. (2,704)

Löbner, M., Dorow, M., Pabst, A., Stein, J., Kersting, A., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2019). Online self-management of depression – Dose-response-relationship within a primary care setting. *Fortschritte der Neurologie Psychiatrie*, 87, 181-186. (0,642)

Hajek, A., Brettschneider, C., Eisele, M., Lüthmann, D., Mamone, S., Wiese, B., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Stein, J., Luck, T., Weeg, D., Mösch, E., Hesel, K., Wagner, M., Scherer, M., Maier, W., Riedel-Heller, S. G., König, H.-H., AgeCoDe² and AgeQualiDe Study Group. (2019). Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe² and AgeQualiDe study. *Geriatrics and Gerontology International*, 19, 705-710. (2,140)

Quinzler, R., Freitag, M. H., Wiese, B., Beyer, M., Brenner, H., Dahlhaus, A., Döring, A., Freund, T., Heier, M., Knopf, H., Luppa, M., Prokein, J., Riedel-Heller, S. G., Schäfer, I., Scheidt-Nave, C., Scherer, M., Schöttker, B., Szecsenyi, J., Thürmann, P., van den Bussche, H., Gensichen, J., Haefeli, W. E. (2019). A novel superior medication-based chronic disease score predicted all-cause mortality in independent geriatric cohorts. *Journal of Clinical Epidemiology*, 105, 112-124. (4,245)

Pentzek, M., Wagner, M., Abholz, H. H., Bickel, H., Kaduszkiewicz, H., Wiese, B., Weyerer, S., König, H.-H., Scherer, M., Riedel-Heller, S. G., Maier, W., Koppara, A., AgeCoDe Study Group². (2019). The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. *British Journal of General Practice*, 69, e786-e793. (4,434)

Maske, U. E., Jaedtke, M., Luppa, M., Riedel-Heller, S. G., Kleiber, D., Busch, M. A. (2019). Diagnosed Depression and Utilization of Health Care Services and Preventive Measures in the General Adult Population in Germany - Results from a Nationwide Cross-Sectional Telephone Survey. *Psychiatrische Praxis*, 46, 73-81. (1,120)

Pantenburg, B., Kitze, K., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2018). Physician emigration from Germany: insights from a survey in Saxony, Germany. *BMC Health Services Research*, 18, 341. (2,010)

Welzel, F. D., Stein, J., Pabst, A., Luppa, M., Kersting, A., Blüher, M., Luck-Sikorski, C., König, H.-H., Riedel-Heller, S. G. (2018). Five A's counseling in weight management of obese patients in primary care: a cluster-randomized controlled trial (INTERACT). *BMC Family Practice*, 19, 97. (2,022)

Löbner, M., Pabst, A., Stein, J., Dorow, M., Matschinger, H., Luppa, M., Maroß, A., Kersting, A., König, H.-H., Riedel-Heller, S. G. (2018). Computerized cognitive behavior therapy for patients with mild to moderately severe depression in primary care: A pragmatic cluster randomized controlled trial (@ktiv). *Journal of Affective Disorders*, 238, 317-326. (3,786)

Mallon, T., Ernst, A., Brettschneider, C., König, H.-H., Luck, T., Röhr, S., Weyerer, S., Werle, J., Mösch, E., Weeg, D., Fuchs, A., Pentzek, M., Kleineidam, L., Hesper, K., Riedel-Heller, S. G., Maier, W., Wiese, B., Scherer, M., AgeCoDe² & AgeQualiDe study group. (2018). Prevalence of pain and its associated factors among the oldest-olds in different care settings - results of the AgeQualiDe study. *BMC Primary Care*, 19, 85. (2,022)

Löbner, M., Stein, J., Luppa, M., Konnopka, A., Meisel, H. J., Günther, L., Meixensberger, J., Stengler, K., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2017). Choosing the right rehabilitation setting after herniated disc surgery: Motives, motivations and expectations from the patients' perspective. *PLoS One*, 22, 12. (2,806)

Hajek, A., Brettschneider, C., Mallon, T., Ernst, A., Mamone, S., Wiese, B., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Stein, J., Luck, T., Bickel, H., Weeg, D., Wagner, M., Hesper, K., Maier, W., Scherer, M., Riedel-Heller, S. G., König, H.-H., AgeCoDe Study Group². (2017). The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. *Health Quality and Life Outcomes*, 14, 15. (2,143)

Luck, T., Rodriguez, F. S., Wiese, B., van der Leeden, C., Hesper, K., Bickel, H., In der Schmitzen, J., Koenig, H.-H., Weyerer, S., Mamone, S., Mallon, T., Wagner, M., Weeg, D., Fuchs, A., Brettschneider, C., Werle, J., Scherer, M., Maier, W., Riedel-Heller, S. G., AgeCoDe¹ & AgeQualiDe study group. (2017). Advance directives and power of attorney for health care in the oldest-old - results of the AgeQualiDe study. *BMC Geriatrics*, 13, 17. (2,611)

Maske, U. E., Jaedtke, M., Luppa, M., Riedel-Heller, S. G., Kleiber, D., Busch, M. A. (2017). Diagnosed Depression and Utilization of Health Care Services and Preventive Measures in the General Adult Population in Germany. *Psychiatrische Praxis*, 46, 73-81. (1,302)

Then, F. S., Luck, T., Hesper, K., Ernst, A., Posselt, T., Wiese, B., Mamone, S., Brettschneider, C., König, H.-H., Weyerer, S., Werle, J., Mösch, E., Bickel, H., Fuchs, A., Pentzek, M., Maier, W., Scherer, M., Wagner, M., Riedel-Heller, S. G., AgeCoDe Study Group². (2017). Which types of mental work demands may be associated with reduced risk of dementia?. *Alzheimers Dementia*, 13, 431-440. (9,478)

Luck, T., Riedel-Heller, S. G., Roehr, S., Wiese, B., van der Leeden, C., Hesper, K., Bickel, H., Pentzek, M., König, H.-H., Werle, J., Mamone, S., Mallon, T., Wolfsgruber, S., Weeg, D., Fuchs, A., Brettschneider, C., Scherer, M., Maier, W., Weyerer, S., AgeCoDe study group². (2016). Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. *Journal of the American Geriatric Society*, 65, 738-746. (4,388)

Hajek, A., Brettschneider, C., Lühmann, D., Eisele, M., Mamone, S., Wiese, B., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Riedel-Heller, S. G., Luck, T., Bickel, H., Weeg, D., Koppa, A., Wagner, M., Scherer, M., Maier, W., König, H.-H., Study on Ageing, Cognition and Dementia in Primary Care Patients Group². (2016). Effect of

¹ Als Mitglied der AgeCoDe study group

Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Population-Based Prospective Cohort Study in Germany. *Journal of the American Geriatric Society*, 64: 2311-2316. (4,388)

Pantenburg, B., Kitze, K., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2016). Job satisfaction of foreign-national physicians working in patient care: a cross-sectional study in Saxony, Germany. *Journal of Occupational Medicine and Toxicology*, 30, 41. (1,482)

Koppara, A., Wagner, M., Lange, C., Ernst, A., Wiese, B., König, H.-H., Brettschneider, C., Riedel-Heller, S. G., Luppa, M., Weyerer, S., Werle, J., Bickel, H., Mösch, E., Pentzek, M., Fuchs, A., Wolfsgruber, S., Beauducel, A., Scherer, M., Maier, W., Jessen, F. (2016). Cognitive performance before and after the onset of subjective cognitive decline in old age. *Alzheimers Dement (Amst)*, 2, 194-205. (9,478)

Pantenburg, B., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2016). Burnout among young physicians and its association with physicians' wishes to leave: results of a survey in Saxony, Germany. *Journal of Occupational Medicine and Toxicology*, 22, 2. (1,482)

Roehr, S., Luck, T., Hesel, K., Fuchs, A., Ernst, A., Wiese, B., Werle, J., Bickel, H., Brettschneider, C., Koppara, A., Pentzek, M., Lange, C., Prokein, J., Weyerer, S., Mösch, E., König, H.-H., Maier, W., Scherer, M., Jessen, F., Riedel-Heller, S. G., AgeCoDe Study Group². (2016). Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly - Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). *PLoS One*, 14, 11. (2,806)

Gühne, U., Luppa, M., Stein, J., Wiese, B., Weyerer, S., Maier, W., König, H.-H., Riedel-Heller, S. G. (2016). Barriers and Opportunities for Optimized Treatment of Late Life Depression. *Psychiatrische Praxis*, 43, 387-394. (1,302)

Hajek, A., Brettschneider, C., Lange, C., Posselt, T., Wiese, B., Steinmann, S., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Stein, J., Luck, T., Bickel, H., Mösch, E., Wagner, M., Jessen, F., Maier, W., Scherer, M., Riedel-Heller, S. G., König, H.-H., AgeCoDe Study Group². (2015). Longitudinal Predictors of Institutionalization in Old Age. *PLoS One*, 14, 10. (2,806)

Luck-Sikorski, C., Luppa, M., Hesel, K., Bleckwenn, M., Posselt, T., Ernst, A., Werle, J., Weeg, D., Mösch, E., Wiese, B., Steinmann, S., Fuchs, A., Pentzek, M., König, H.-H., Brettschneider, C., Scherer, M., Maier, W., Weyerer, S., Riedel-Heller, S. G. (2015). Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. *Journal of the American Geriatric Society*, 63, 2408-2410. (4,388)

Polyakova, M., Sander, C., Arelin, K., Lampe, L., Luck, T., Luppa, M., Kratzsch, J., Hoffmann, K. T., Riedel-Heller, S. G., Villringer, A., Schoenknecht, P., Schroeter, M. L. (2015). First evidence for glial pathology in late life minor depression: S100B is increased in males with minor depression. *Frontiers in Cellular Neuroscience*, 9, 406. (4,555)

Eisele, M., Kaduszkiewicz, H., König, H.-H., Lange, C., Wiese, B., Prokein, J., Weyerer, S., Werle, J., Riedel-Heller, S. G., Luppa, M., Hesel, K., Koppara, A., Mösch,

E., Weeg, D., Fuchs, A., Pentzek, M., Maier, W., Scherer, M., Hajek, A., AgeCoDe Study Group. (2015). Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. *British Journal of General Practice*, 65, 716-723. (2,760)

Hajek, A., Lehnert, T., Ernst, A., Lange, C., Wiese, B., Prokein, J., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Luck, T., Bickel, H., Mösch, E., Hesel, K., Wagner, M., Maier, W., Scherer, M., Riedel-Heller, S. G., König, H.-H., AgeCoDe Study Group.² (2015). Prevalence and determinants of overweight and obesity in old age in Germany. *BMC Geriatrics*, 15, 83. (2,611)

Roehr, S., Luck, T., Bickel, H., Brettschneider, C., Ernst, A., Fuchs, A., Hesel, K., König, H.-H., Jessen, F., Lange, C., Mösch, E., Pentzek, M., Steinmann, S., Weyerer, S., Werle, J., Wiese, B., Scherer, M., Maier, W., Riedel-Heller, S. G., AgeCoDe Study Group². (2015). Mortality in incident dementia - results from the German Study on Aging, Cognition, and Dementia in Primary Care Patients. *Acta Psychiatrica Scandinavica*, 132, 257-269. (6,128)

Then, F. S., Luck, T., Luppa, M., König, H.-H., Angermeyer, M. C., Riedel-Heller, S. G. (2015). Differential effects of enriched environment at work on cognitive decline in old age. *Neurology*, 26, 2169-2176. (8,166)

Löffler, A., Luck, T., Then, F. S., Luppa, M., Sikorski, C., Kovacs, P., Tönjes, A., Böttcher, Y., Breitfeld, J., Horstmann, A., Löffler, M., Engel, C., Thiery, J., Stumvoll, M., Riedel-Heller, S. G. (2015). Age- and gender-specific norms for the German version of the Three-Factor Eating-Questionnaire (TFEQ). *Appetite*, 91, 241-247. (3,125)

Brettschneider, C., Luck, T., Fleischer, S., Roling, G., Beutner, K., Luppa, M., Behrens, J., Riedel-Heller, S. G., König, H.-H. (2015). Cost-utility analysis of a preventive home visitprogram for older adults in Germany. *BMC Health Services Research*, 15, 141. (1,721)

Stein, J., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2015). The German version of theCamberwell Assessment of Need for the Elderly (CANE): evaluation of content validity and adaptation to the German-speaking context. *International Psychogeriatrics*, 27, 1919-1926. (2,220)

Stein, J., Luppa, M., Kaduszkiewicz, H., Eisele, M., Weyerer, S., Werle, J., Bickel, H., Mösch, E., Wiese, B., Prokein, J., Pentzek, M., Fuchs, A., König, H.-H., Brettschneider, C., Hesel, K., Wagner, M., Riedel-Heller, S. G., Scherer, M., Maier, W. (2015). Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe). *Psychological Assessment*, 27, 895-904. (2,840)

Sikorski, C., Luppa, M., Angermeyer, M. C., Schomerus, G., Link, B., Riedel-Heller, S. G. (2015). The association of BMI and social distance towards obese individuals is mediated by sympathy and understanding. *Social Science & Medicine*, 128, 25-30. (2,814)

Ramirez, A., Wolfsgruber, S., Lange, C., Kaduszkiewicz, H., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Riedel-Heller, S. G., Luck, T., Mösch, E., Bickel, H., Wiese, B., Prokein, J., König, H.-H., Brettschneider, C., Breteler, M. M., Maier, W., Jessen, F., Scherer, M., AgeCoDe Study Group². (2015). Elevated HbA1c is associated with increased risk of incident dementia in primary care patients. *Journal of Alzheimer's Disease*, 44, 1203-1212. (3,920)

Fankhauser, S., Forstmeier, S., Maercker, A., Luppa, M., Luck, T., Riedel-Heller, S. G. (2015). Risk of dementia in older adults with low versus high occupation-based motivational processes: differential impact of frequency and proximity of social network. *Journal of Geriatric Psychiatry and Neurology*, 28, 126-135. (2,127)

Luck, T., Then, F. S., Luppa, M., Schroeter, M. L., Arélin, K., Burkhardt, R., Thiery, J., Löffler, M., Villringer, A., Riedel-Heller, S. G. (2015). Association of the apolipoprotein E genotype with memory performance and executive functioning in cognitively intact elderly. *Neuropsychology*, 29, 382-387. (2,879)

Haenisch, B., von Holt, K., Wiese, B., Prokein, J., Lange, C., Ernst, A., Brettschneider, C., König, H.-H., Werle, J., Weyerer, S., Luppa, M., Riedel-Heller, S. G., Fuchs, A., Pentzek, M., Weeg, D., Bickel, H., Broich, K., Jessen, F., Maier, W., Scherer, M. (2015). Risk of dementia in elderly patients with the use of proton pump inhibitors. *European Archives of Psychiatry and Clinical Neuroscience*, 265, 419-428. (4,113)

Schulz, S., Brenk-Franz, K., Kratz, A., Petersen, J. J., Riedel-Heller, S. G., Schäfer, I., Weyerer, S., Wiese, B., Fuchs, A., Maier, W., Bickel, H., König, H.-H., Scherer, M., van den Bussche, H., Gensichen, J., MultiCare Study Group². (2015). Self-efficacy in multimorbid elderly patients with osteoarthritis in primary care - influence on pain-related disability. *Clinical Rheumatology*, 34, 1761-1767. (2,042)

Wötzel, H., Sikorski, C., Schomerus, G., Luppa, M., Riedel-Heller, S. G. (2015). Weight Related Stigmatisation of Obese Individuals in Somatic and Mental Health Care - are there Differences?. *Psychiatrische Praxis*, 42, 328-332. (1,821)

Schulz, S., Brenk-Franz, K., Kratz, A., Petersen, J. J., Riedel-Heller, S. G., Schäfer, I., Weyerer, S., Wiese, B., Fuchs, A., Maier, W., Bickel, H., König, H.-H., Scherer, M., van den Bussche, H., Gensichen, J., MultiCare Study Group³. (2015). Self-efficacy in multimorbid elderly patients with osteoarthritis in primary care--influence on pain-related disability. *Clin Rheumatol*, 34, 1761-1767. (2,042)

Stein, J., Luppa, M., Ruzanska, U., Sikorski, C., König, H.-H., Riedel-Heller, S. G. (2014). Measuring negative attitudes towards overweight and obesity in the German population - psychometric properties and reference values for the German short version of the Fat Phobia Scale (FPS). *PLoS One*, 4,12. (3.234)

Heser, K., Wagner, M., Wiese, B., Prokein, J., Ernst, A., König, H.-H., Brettschneider, C., Riedel-Heller, S. G., Luppa, M., Weyerer, S., Eifflaender-Gorfer, S., Bickel, H., Mösch, E., Pentzek, M., Fuchs, A., Maier, W., Scherer, M., Eisele, M., AgeCoDe Study Group. (2014). Associations between Dementia Outcomes and Depressive

² Als Mitglied der MultiCare study group

³ Als Mitglied der MultiCare study group

Symptoms, Leisure Activities, and Social Support. *Dementia and Geriatric Cognitive Disorders Extra*, 10, 481-493. (3,547)

Brettschneider, C., Luck, T., Fleischer, S., Røling, G., Beutner, K., Sesselmann, Y., Luppa, M., Behrens, J., Riedel-Heller, S. G., König, H.-H. (2014). Cost-Utility Analysis of Preventive Home Visits in Older Adults. *Value in Health*, 17, A511. (3,279)

Luck, T., Luppa, M., Matschinger, H., Jessen, F., Angermeyer, M. C., Riedel-Heller, S. G. (2014). Incident subjective memory complaints and the risk of subsequent dementia. *Acta Psychiatrica Scandinavica* 131, 290-296. (5,605)

Petersen, J. J., Paulitsch, M. A., Mergenthal, K., Gensichen, J., Hansen, H., Weyerer, S., Riedel-Heller, S. G., Fuchs, A., Maier, W., Bickel, H., König, H.-H., Wiese, B., van den Bussche, H., Scherer, M., Dahlhaus, A., MultiCare Study Group³. (2014). Implementation of chronic illness care in German primary care practices--how do multimorbid older patients view routine care? A cross-sectional study using multilevel hierarchical modeling. *BMC Health Services Research*, 14, 336. (1,659)

Schwarzbach, M., Luppa, M., Hansen, H., König, H.-H., Gensichen, J., Petersen, J. J., Schön, G., Wiese, B., Weyerer, S., Bickel, H., Fuchs, A., Maier, W., van den Bussche, H., Scherer, M., Riedel-Heller, S. G. (2014). MultiCare study group. A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients - results of the MultiCare study. *Journal of Affective Disorders*, 168, 276-283. (3,383)

Sikorski, C., Luppa, M., Weyerer, S., König, H.-H., Maier, W., Schön, G., Petersen, J. J., Gensichen, J., Fuchs, A., Bickel, H., Wiese, B., Hansen, H., van den Bussche, H., Scherer, M., Riedel-Heller, S. G. (2014). Obesity and associated lifestyle in a large sample of multi-morbid German primary care attendees. *PLoS One*, 18, 7. (3,234)

Pantenburg, B., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2014). Young physicians' thoughts about leaving patient care - results of a survey in Saxony, Germany. *Gesundheitswesen*, 76, 406-412. (0,741)

Then, F. S., Luck, T., Luppa, M., Arélin, K., Schroeter, M. L., Engel, C., Löffler, M., Thiery, J., Villringer, A., Riedel-Heller, S. G. (2014). Association between mental demands at work and cognitive functioning in the general population - results of the health study of the Leipzig research center for civilization diseases (LIFE). *Journal of Occupational Medicine and Toxicology*, 28, 23. (1,226)

Sikorski, C., Luppa, M., Heser, K., Ernst, A., Lange, C., Werle, J., Bickel, H., Mösch, E., Wiese, B., Prokein, J., Fuchs, A., Pentzek, M., König, H.-H., Brettschneider, C., Scherer, M., Maier, W., Weyerer, S., Riedel-Heller, S. G., AgeCoDe Study Group. (2014). The role of spousal loss in the development of depressive symptoms in the elderly - implications for diagnostic systems. *Journal of Affective Disorders*, 161, 97-103. (3,383)

Bock, J. O., Luppa, M., Brettschneider, C., Riedel-Heller, S. G., Bickel, H., Fuchs, A., Gensichen, J., Maier, W., Mergenthal, K., Schäfer, I., Schön, G., Weyerer, S., Wiese, B., van den Bussche, H., Scherer, M., König, H.-H. (2014). Impact of depression on health care utilization and costs among multimorbid patients - from the MultiCare Cohort Study. *PLoS One*, 17, e91973. (3,234)

Kaduszkiewicz, H., Eisele, M., Wiese, B., Prokein, J., Luppa, M., Luck, T., Jessen, F., Bickel, H., Mösch, E., Pentzek, M., Fuchs, A., Eifflaender-Gorfer, S., Weyerer, S., König, H.-H., Brettschneider, C., van den Bussche, H., Maier, W., Scherer, M., Riedel-Heller, S. G., Study on Aging, Cognition, and Dementia in Primary Care Patients (AgeCoDe) Study Group. (2014). Prognosis of mild cognitive impairment in general practice: results of the German AgeCoDe study. *Annals of Family Medicine*, 12, 158-65. (5,434)

Löbner, M., Luppa, M., Konnopka, A., Meisel, H. J., Günther, L., Meixensberger, J., Stengler, K., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2014). Inpatient or outpatient rehabilitation after herniated disc surgery? - Setting-specific preferences, participation and outcome of rehabilitation. *PLoS One*, 5, e89200. (3,234)

König, H.-H., Leicht, H., Brettschneider, C., Bachmann, C., Bickel, H., Fuchs, A., Jessen, F., Köhler, M., Luppa, M., Mösch, E., Pentzek, M., Werle, J., Weyerer, S., Wiese, B., Scherer, M., Maier, W., Riedel-Heller, S. G., AgeCoDe Study Group. (2014). The costs of dementia from the societal perspective: is care provided in the community really cheaper than nursing home care? *Journal of the American Medical Directors Association*, 15, 117-26. (4,939)

Stein, J., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2014). Assessing met and unmet needs in the oldest-old and psychometric properties of the German version of the Camberwell assessment of need for the elderly (CANE) - a pilot study. *International Psychogeriatrics*, 26, 285-95. (1,934)

Sikorski, C., Luppa, M., Glaesmer, H., Brähler, E., König, H.-H., Riedel-Heller, S. G. (2013). Attitudes of health care professionals towards female obese patients. *Obesity Facts*, 6, 512-22. (1,705)

Then, F. S., Luppa, M., Schroeter, M. L., König, H.-H., Angermeyer, M. C., Riedel-Heller, S. G. (2013). Enriched environment at work and the incidence of dementia: results of the Leipzig longitudinal study of the aged (LEILA 75+). *PLoS One*, 26, 8. (3,730)

Luck, T., Riedel-Heller, S. G., Luppa, M., Wiese, B., Köhler, M., Jessen, F., Bickel, H., Weyerer, S., Pentzek, M., König, H.-H., Prokein, J., Ernst, A., Wagner, M., Mösch, E., Werle, J., Fuchs, A., Brettschneider, C., Scherer, M., Maier, W. (2013). Apolipoprotein E epsilon 4 genotype and a physically active lifestyle in late life: analysis of gene-environment interaction for the risk of dementia and Alzheimer's disease dementia. *Psychological Medicine*, 24, 1-11. (5,587)

Leicht, H., König, H.-H., Stuhldreher, N., Bachmann, C., Bickel, H., Fuchs, A., Hesel, K., Jessen, F., Köhler, M., Luppa, M., Mösch, E., Pentzek, M., Riedel-Heller, S., Scherer, M., Werle, J., Weyerer, S., Wiese, B., Maier, W., AgeCoDe study group. (2013). Predictors of costs in dementia in a longitudinal perspective. *PLoS One*, 18, 8. (3,730)

Luck, T., Motzek, T., Luppa, M., Matschinger, H., Fleischer, S., Sesselmann, Y., Røling, G., Beutner, K., König, H.-H., Behrens, J., Riedel-Heller, S.G. (2013). Effec-

tiveness of preventive home visits in reducing the risk of falls in old age: a randomized controlled trial. *Clinical Interventions in Aging*, 8, 697-702. (2,651)

Zimmermann, T., Kaduszkiewicz, H., van den Bussche, H., Schön, G., Brettschneider, C., König, H.-H., Wiese, B., Bickel, H., Mösch, E., Luppa, M., Riedel-Heller, S., Werle, J., Weyerer, S., Fuchs, A., Pentzek, M., Hänisch, B., Maier, W., Scherer, M., Jessen F; AgeCoDe-Study Group. (2013). Potentially inappropriate medication in elderly primary care patients: A retrospective, longitudinal analysis. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*, 56, 7. (0,722)

Luck, T., Riedel-Heller, S. G., Luppa, M., Wiese, B., Bachmann, C., Jessen, F., Bickel, H., Weyerer, S., Pentzek, M., König, H.-H., Prokein, J., Eisele, M., Wagner, M., Mösch, E., Werle, J., Fuchs, A., Brettschneider, C., Scherer, M., Breitner, J. C., Maier, W. (2013). A hierarchy of predictors for dementia-free survival in old-age: results of the AgeCoDe study. *Acta Psychiatrica Scandinavica*, 129, 63-72. (4,857)

Luppa, M., König, H.-H., Heider, D., Leicht, H., Motzek, T., Schomerus, G., Riedel-Heller, S. G. (2013). Direct costs associated with depressive symptoms in old age – A 4.5-year prospective study. *International Psychogeriatrics*, 25, 292-302. (2,188)

Busch, M. A., Neuner, B., Aichberger, M. C., Hapke, U., Riedel-Heller, S. G., Luppa, M. (2013). Depressive Symptoms and Health Service Utilisation Among Persons 50 Years or Older in Germany. *Psychiatrische Praxis*, 40, 214-219. (1,618)

Luppa, M., Luck, T., Ritschel, F., Angermeyer, M. C., Villringer, A., Riedel-Heller, S. G. (2013). Depression and incident dementia. An 8-Year Population-Based Prospective Study. *PLoS ONE*, 8, 3. (3,730)

Köhler, S., Verhey, F., Weyerer, S., Wiese, B., Heser, K., Wagner, M., Pentzek, M., Fuchs, A., Köhler, M., Bachmann, C., Riedel-Heller, S. G., Luppa, M., Eifflaender-Gorfer, S., Werle, J., Bickel, H., Mösch, E., König, H.-H., Brettschneider, C., Scherer, M., Maier, W. (2013). Depression, non-fatal stroke and all-cause mortality in old age: A prospective cohort study of primary care patients. *Journal of Affective Disorders*, 150, 63-69. (3,295)

Schomerus, G., Appel, K., Meffert, P. J., Luppa, M., Andersen, R. M., Grabe, H. J., Baumeister, S. E. (2013). Personality-related factors as predictors of help-seeking for depression: a population-based study applying the Behavioral Model of Health Services Use. *Social Psychiatry and Psychiatric Epidemiology*, 48, 1809-1817. (2,861)

Weyerer, S., Eifflaender-Gorfer, S., Wiese, B., Luppa, M., Pentzek, M., Bickel, H., Bachmann, C., Scherer, M., Maier, W., Riedel-Heller, S. G. (2013). Incidence and predictors of depression in non-demented primary care attenders aged 75 years and older: results from a 3-year follow-up study. *Age and Ageing*, 42, 173-180. (3,816)

van den Bussche, H., Schäfer, I., Wiese, B., Dahlhaus, A., Fuchs, A., Gensichen, J., Höfels, S., Hansen, H., Leicht, H., Koller, D., Luppa, M., Nützel, A., Werle, J., Scherer, M., Wegscheider, K., Glaeske, G., Schön, G. (2013). A comparative study demonstrated that prevalence figures on multimorbidity require cautious interpretation when drawn from a single database. *Journal of Clinical Epidemiology*, 66, 209-217. (5,332)

Schwarzbach, M., Luppa, M., Sikorski, C., Fuchs, A., Maier, W., van den Bussche, H., Pentzek, M., Riedel-Heller, S. G. (2013). The relationship between social integration and depression in non-demented primary care patients aged 75 years and older. *Journal of Affective Disorders*, 145, 172-178. (3,295)

Sikorski, C., Luppa, M., Dame, K., Brähler, E., Schuetz, T., Shang, E., König, H.-H., Riedel-Heller, S. G. (2013). Attitudes towards Bariatric Surgery in the General Public. *Obesity Surgery*, 23, 338-345. (3,286)

Riedel-Heller, S. G., Luppa, M., Seidler, A., Becker, T., Stengler, K. (2013). Mental health and work: Concepts, evidence and implications for research and practice. *Nervenarzt*, 84, 832-837. (0,681)

Baer, N., Sikorski, C., Luppa, M., Riedel-Heller, S. G., Schomerus, G. (2016). The Stigma Depression - An Interaction Between the Public Discourse and Accounts on the Lived Experience. *Psychiatrische Praxis*, 43, 1-8. (1,302)

Heser, K., Tebarth, F., Wiese, B., Eisele, M., Bickel, H., Köhler, M., Mösch, E., Weyerer, S., Werle, J., König, H.-H., Leicht, H., Pentzek, M., Fuchs, A., Riedel-Heller, S. G., Luppa, M., Prokein, J., Scherer, M., Maier, W., Wagner, M. (2012). Age of major depression onset, depressive symptoms, and risk for subsequent dementia: results of the German Study on Ageing, Cognition, and Dementia in Primary Care Patients (AgeCoDe). *Psychological Medicine*, 9, 1-14. (5,587)

Luck, T., Luppa, M., Sieber, J., Schomerus, G., Werner, P., König, H.-H., Riedel-Heller, S. G. (2012). Attitudes of the German General Population toward Early Diagnosis of Dementia - Results of a Representative Telephone Survey. *PLoS One*, 7, 11. (3,730)

Pantenburg, B., Sikorski, C., Luppa, M., Schomerus, G., König, H.-H., Werner, P., Riedel-Heller, S. G. (2012). Medical Students' Attitudes towards Overweight and Obesity. *PLoS One*, 7, 11. (3,730)

Sikorski, C., Luppa, M., Brähler, E., König, H.-H., Riedel-Heller, S. G. (2012). Obese Children, Adults and Senior Citizens in the Eyes of the General Public: Results of a Representative Study on Stigma and Causation of Obesity. *PLoS ONE*, 7, 10. (3,730)

Luppa, M., Luck, T., König, H.-H., Angermeyer, M. C., Riedel-Heller, S. G. (2012). Natural Course of Depressive Symptoms in Late Life. An 8-Year Population-Based Prospective Study. *Journal of Affective Disorders*, 142, 166-171. (3,295)

Konnopka, A., Löbner, M., Luppa, M., Heider, D., Heinrich, S., Riedel-Heller, S., Meisel, H. J., Guenther, L., Meixensberger, J., Koenig, H.-H. (2012). Psychiatric comorbidity as predictor of costs in back pain patients undergoing disc surgery: a longitudinal observational study. *BMC Musculoskeletal Disorders*, 13, 165. (1,875)

Luppa, M., Riedel-Heller, S. G., Luck, T., Wiese, B., van den Bussche, H., Haller, F., Sauder, M., Mösch, E., Pentzek, M., Wollny, A., Eisele, M., Zimmermann, T., König, H.-H., Maier, W., Bickel, H., Werle, J., Weyerer, S. for the AgeCoDe study group (2012). Age-Related Predictors of Institutionalization – Results of the German Study

on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Social Psychiatry and Psychiatric Epidemiology*, 47, 263-270. (2,861)

Sikorski, C., Luppa, M., Schomerus, G., Werner, P., König, H.-H., Riedel-Heller, S. G. (2012). Public Attitudes towards Prevention of Obesity. *PLoS ONE*, 7, 6. (3,730)

Luck, T., Luppa, M., Wiese, B., Maier, W., van den Bussche, H., Eisele, M., Jessen, F., Weeg, D., Weyerer, S., Pentzek, F., Leicht, H., Koehler, M., Tebarth, F., Olbrich, J., Eifflaender-Gorfer, S., Fuchs, A., Koenig, H.-H., Riedel-Heller, S. G. (2012). Prediction of Incident Dementia: Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment – Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *American Journal of Geriatric Psychiatry*, 20, 943-954. (4,131)

Köhler, M., Kliegel, M., Kaduszkiewicz, H., Bachmann, C., Wiese, B., Bickel, H., Mösch, E., Weyerer, S., Werle, J., Fuchs, A., Pentzek, M., Leicht, H., König, H.-H., Luppa, M., Riedel-Heller, S. G., Jessen, F., Maier, W., Scherer, M., Wagner, M. for the Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe) study group. (2012). Effect of Cardiovascular and Metabolic Disease on Cognitive Test Performance and Cognitive Change in Older Adults. *Journal of the American Geriatrics Society*, 60, 1286-1291. (3,978)

Luppa, M., Riedel-Heller, S. G., Stein, J., Leicht, H., König, H.-H., van den Bussche, H., Maier, W., Scherer, M., Bickel, H., Mösch, E., Werle, J., Pentzek, M., Fuchs, A., Eisele, M., Jessen, F., Tebarth, F., Wiese, B., Weyerer, S. for the AgeCoDe study group. (2012). Predictors of institutionalisation in incident dementia – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe study). *Dementia and Geriatric Cognitive Disorders*, 33, 282-288. (2,787)

Luppa, M., Sikorski, C., Luck, T., Weyerer, S., Villringer, A., König, H.-H., Riedel-Heller, S. G. (2012). Prevalence and risk factors of latest-life depression – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). *International Journal of Geriatric Psychiatry*, 27, 286-295. (2,977)

Forstmeier, S., Maercker, A., Maier, W., van den Bussche, H., Riedel-Heller, S. G., Kaduszkiewicz, H., Pentzek, M., Weyerer, S., Bickel, H., Tebarth, F., Luppa, M., Wollny, A., Wiese, B., Wagner, M. (2012). Motivational reserve: Motivation-related occupational abilities and risk of mild cognitive impairment and Alzheimer disease. *Psychology and Aging*, 27, 353-360. (3,089)

Löbner, M., Luppa, M., Matschinger, H., Konnopka, A., Meisel, H. J., Günther, L., Meixensberger, J., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2012). The course of depression and anxiety in patients undergoing disc surgery: a longitudinal observational study. *Journal of Psychosomatic Research*, 72, 185-94. (3,296)

Luppa, M., Sikorski, C., Luck, T., Ehreke, L., Konnopka, A., Wiese, B., Weyerer, S., König, H.-H., Riedel-Heller, S. G. (2012). Age- and Gender-Specific Prevalence of Depression in Latest-Life – Systematic Review and Meta-Analysis. *Journal of Affective Disorders*, 136, 212-221. (3,517)

Stein, J., Luppa, M., Maier, W., Tebarth, F., Hesper, K., Scherer, M., Zimmermann, T., Eisele, M., Bickel, H., Mösch, E., Weyerer, S., Werle, J., Pentzek, M., Fuchs, A., Wiese, B., Prokein, J., König, H.-H., Leicht, H., Riedel-Heller, S. G. (2012). The assessment of changes in cognitive functioning in the elderly: Age- and education-specific Reliable Change Indices (RCIs) for the SIDAM. Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Dementia and Geriatric Cognitive Disorders*, 33, 73-83. (2,141)

Sikorski, C., Riedel, C., Luppa, M., Schulze, B., Werner, P., König, H.-H., Riedel-Heller, S.G. (2012). Perception of overweight and obesity from different angles: A qualitative study. *Scandinavian Journal of Public Health*, 40, 271-277. (1,388)

Eisele, M., Zimmermann, T., Köhler, M., Wiese, B., Hesper, K., Tebarth, F., Weeg, D., Olbrich, J., Pentzek, M., Fuchs, A., Weyerer, S., Werle, J., Leicht, H., König, H.-H., Luppa, M., Riedel-Heller, S. G., Maier, W., Scherer, M. (2012). Influence of social support on cognitive change and mortality in old age: results from the prospective multicentre cohort study AgeCoDe. *BMC Geriatrics*, 12, 9. (1,967)

Schomerus, G., Auer, C., Rhode, D., Luppa, M., Freyberger, H. J., Schmidt, S. (2012). Personal stigma, problem appraisal and perceived need for professional help in currently untreated depressed persons. *Journal of Affective Disorders*, 139, 94-97 (3,295)

Stein, J., Luppa, M., Maier, W., Wagner, M., Wolfsgruber, S., Scherer, M., Koehler, M., Eisele, M., Weyerer, S., Werle, J., Bickel, H., Mösch, E., Wiese, B., Prokein, J., Pentzek, M., Fuchs, A., Leicht, H., König, H.-H., Riedel-Heller, S. G. (2012) The assessment of changes in cognitive functioning in the elderly: Age- and education-specific Reliable Change Indices for the Mini-Mental State Examination (MMSE). Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Acta Psychiatrica Scandinavica*, 126, 208-218. (4,857)

Sikorski, C., Luppa, M., König, H.-H., van den Bussche, H., Riedel-Heller, S. G. (2012). Does GP training in depression care affect patient outcome? - A systematic review and meta-analysis. *BMC Health Services Research*, 12, 10. (1,660)

Stein, J., Luppa, M., Luck, T., Maier, W., Wagner, M., Daerr, M., van den Bussche, H., Zimmermann, T., Köhler, M., Bickel, H., Mösch, E., Weyerer, S., Kaufeler, T., Pentzek, M., Wiese, B., Wollny, A., König, H.-H., Riedel-Heller, S. G. (2012). The assessment of changes in cognitive functioning: Age-, education- and gender-specific Reliable Change Indices (RCIs) for older adults tested on the CERAD-NP battery. Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *The American Journal of Geriatric Psychiatry*, 20, 84-97. (3,638)

Zimmermann, T., Kaduszkiewicz, H., van den Bussche, H., Schön, G., Wegscheider, K., Werle, J., Weyerer, S., Wiese, B., Olbrich, J., Weeg, D., Riedel-Heller, S. G., Luppa, M., Jessen, F., Abholz, H. H., Maier, W., Pentzek, M. (2012). Reliabilität ärztlicher Morbiditätsangaben zu chronischen Krankheiten. *Bundesgesundheitsblatt*, 55, 260-269. (0,658)

Stengler, K., Zieger, M., Luppa, M., Meisel, H. J., Günther, L., Meixensberger, J., Toussaint, R., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2011). The

Impact of Psychiatric Comorbidity on Quality of Life in Patients Undergoing Herniated Disc Surgery. *Journal of Neurological Surgery. Part A, Central European Neurosurgery*, 73, 29-37. (0,838)

Leicht, H., Heinrich, S., Heider, D., Bachmann, C., Bickel, H., van den Bussche, H., Fuchs, A., Luppa, M., Maier, W., Mösch, E., Pentzek, M., Rieder-Heller, S. G., Tebarth, F., Werle, J., Weyerer, S., Wiese, B., Zimmermann, T., König, H.-H.; for the AgeCoDe study group (2011). Net costs of dementia by disease stage. *Acta Psychiatrica Scandinavica*, 124, 384-395. (4,220)

Ehreke, L., Luck, T., Luppa, M., König, H.-H., Villringer, A., Riedel-Heller, S. G. (2011). Clock Drawing Test – screening utility for mild cognitive impairment according to different scoring systems: results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). *International Psychogeriatrics*, 23, 1592-1601. (2,240)

Glaesmer, H., Riedel-Heller, S. G., Brähler, E., Spangenberg, L., Luppa, M. (2011). Age- and Gender-Specific Prevalence and Risk factors of Depressive Symptoms in the Elderly – A Population-Based Study. *International Psychogeriatrics*, 23, 1294-1300. (2,240)

Konnopka, A., Heinrich, S., Zieger, M., Luppa, M., Riedel-Heller, S. G., Meisel, H. J., Günther, L., Meixensberger, J., König, H.-H. (2011). Effects of psychiatric comorbidity on costs in patients undergoing disc surgery: a cross-sectional study. *The Spine Journal*, 11, 601-609. (3,290)

Luck, T., Luppa, M., Angermeyer, M. C., Villringer, A., König, H.-H., Riedel-Heller, S. G. (2011). Impact of Impairment in Instrumental Activities of Daily Living and Mild Cognitive Impairment on Time to Incident Dementia: results of the Leipzig Longitudinal Study of the Aged. *Psychological Medicine*, 41, 1087-1097. (6,159)

Weyerer, S., Schäufele, M., Wiese, B., Maier, W., Tebarth, F., van den Bussche, H., Pentzek, M., Bickel, H., Luppa, M., Riedel-Heller, S. G. for the AgeCoDe study group (2011). Current alcohol consumption and its relationship to incident dementia: results from a 3-year follow-up study among primary care attenders aged 75 years and older. *Age and Ageing*, 40, 456-463. (3,090)

Zieger, M., Luppa, M., Matschinger, H., Meisel, H. J., Günther, L., Meixensberger, J., Toussaint, R., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2011). Affective, anxiety and substance related disorders in patients undergoing herniated disc surgery. *Social Psychiatry and Psychiatric Epidemiology*, 46, 1181-1190. (2,696)

Zieger, M. Luppa, M., Meisel, H. J., Günther, L., Winkler, D., Toussaint, R., Stengler, K., Angermeyer, M.C., König, H.-H., Riedel-Heller, S. G. (2011). The impact of psychiatric comorbidity on the return to work in patients undergoing herniated disc surgery. *Journal of Occupational Rehabilitation*, 21, 54-65. (2,795)

Luppa, M., Gentzsch, K., Angermeyer, M. C., Weyerer, S., König, H.-H., Riedel-Heller, S. G. (2011). Geschlechtsspezifische Prädiktoren von Institutionalisierung im Alter - Ergebnisse der Leipziger Längsschnittstudie in der Altenbevölkerung (LEILA 75+). *Psychiatrische Praxis*, 38, 185-189. (1,639)

Ehreke, L., Luppa, M., König, H.-H., Villringer, A., Riedel-Heller, S. G. (2011). Does the Clock Drawing Test predict dementia? – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). *Dementia and Geriatric Cognitive Disorders*, 31, 89-97. (2,141)

Luppa, M., König, H.-H., Riedel-Heller, S. G. (2011). Depressive Störungen im Alter – Häufigkeit und Versorgung aus einer Bevölkerungsperspektive. *Geriatric-Report*, 6, 36-38.

Luck, T., Luppa, M., Angermeyer, M. C., Riedel-Heller, S. G. (2011). Leichte kognitive Beeinträchtigungen und Demenzen: Eine Bevölkerungsperspektive – Ergebnisse der Leipziger Langzeitstudie in der Altenbevölkerung (LEILA75+). *Sächsische Ärztekammer*, 8, 426-431.

Stein, J., Hensel, A., Luppa, M., Luck, T., Angermeyer, M. C., Riedel-Heller, S. G. (2010). Die Messung kognitiver Veränderungen bei älteren Menschen: Veränderungsnormen für SISCO und MMST. *Klinische Evaluation und Diagnostik*, 3, 257-275.

Ehreke, L., Luppa, M., Riedel-Heller, S. G. (2010). Ist der Uhrentest als Instrument für die Diagnose von leichten kognitiven Beeinträchtigungen geeignet? *Klinische Evaluation und Diagnostik*, 3, 276-293.

Luppa, M., Riedel-Heller, S. G. (2010). Persönlichkeits-Stil- und Störungs-Inventar (PSSI), 2., überarbeitete und neunormierte Auflage von Julius Kuhl und Miguel Kazén. *Diagnostica*, 56, 243-245. (0,732)

Luck, T., Luppa, M., Briel, S., Matschinger, H., König, H.-H., Bleich, S., Villringer, A., Angermeyer, M. C., Riedel-Heller, S. G. (2010). Mild Cognitive Impairment: Incidence and Risk factors - Results of the Leipzig Longitudinal Study of the Aged (LEILA75+). *Journal of the American Geriatrics Society*, 58, 1903-1910. (3,913)

Kaduszkiewicz, H., Zimmermann, T., van den Bussche, H., Bachmann, C., Wiese, B., Bickel, H., Mösch, E., Romberg, H., Jessen, F., Cvetanovska-Pilashniku, G., Maier, W., Riedel-Heller, S. G., Luppa, M., Sandholzer, H., Weyerer, S., Mayer, M., Hofmann, A., Fuchs, A., Abholz, H., Pentzek M. for the AgeCoDe study group (2010). Do general practitioner recognize mild cognitive impairment in their patients? *The Journal of Nutrition, Health and Aging*, 14, 697-702. (2,484)

Luppa, M., Luck, T., Matschinger, H., König, H.-H., Riedel-Heller, S. G. (2010). Predictors of nursing home admission of individuals without a dementia diagnosis before admission - results from the Leipzig Longitudinal Study of the Aged (LEILA 75+). *BMC Health Services Research*, 10, 186. (1,721)

Luck, T., Riedel-Heller, S. G., Luppa, M., Wiese, B., Wollny, A., Wagner, M., Bickel, H., Weyerer, S., Pentzek, M., Haller, F., Moesch, E., Werle, J., Eisele, M., Maier, W., van den Bussche, H., Kaduszkiewicz, H. for the AgeCoDe Study Group (2010). Risk factors and early indicators of incident MCI – Results from the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Acta Psychiatrica Scandinavica*, 121, 260-272. (3,733)

Luppa, M., Luck, T., Weyerer, S., König, H.-H., Riedel-Heller, S. G. (2009). Gender-specific predictors of nursing home placement in the elderly. A Systematic Review. *International Psychogeriatrics*, 21, 1015-1025. (2,506)

Hensel, A., Luck, T., Luppa, M., Glaesmer, H., Angermeyer, M. C., Riedel-Heller, S. G. (2009). Does a reliable decline in Mini Mental State Examination total score predict dementia? Diagnostic accuracy of two reliable change indices. *Dementia and Geriatric Cognitive Disorders*, 27, 50-58. (2,578)

Weyerer, S., Schäufele, M., Eifflaender-Gorfer, S., Köhler, L., Maier, W., Haller, F., Cvetanovska-Pillashiniku, G., Pentzek, M., Fuchs, A., van den Bussche, H., Zimmermann, T., Eisele, M., Bickel, H., Mösch, E., Wiese, B., Angermeyer, M. C., Riedel-Heller, S. G.; German AgeCoDe Study group. Further members of the German AgeCoDe Study group: Abholz, H.-H., Bachmann, C., Blank, W., Buchwald, M., Colditz, M., Daerr, M., Jessen, M., Heinrich, S., Kaduszkiewicz, H., Kaufeler, T., König, H.-H., Luck, T., Luppa, M., Mayer, M., Olbrich, J., Romberg, H.-P., Rudolph, A., Sauder, M., Schürmann, B., Wagner, M., Werle, J., Wollny, A. (German Study on Ageing, Cognition, Dementia in Primary Care Patients. (2009). At-risk alcohol drinking in primary care patients aged 75 years and older. *International Journal of Geriatric Psychiatry*, 24, 1376-1385. (1,981)

Ehreke, L., Luppa, M., Luck, T., Wiese, B., Weyerer, S., Eifflaender-Gorfer, S., Weeg, D., Olbrich, J., van den Bussche, H., Bachmann, C., Eisele, M., Maier, W., Jessen, F., Wagner, M., Fuchs, A., Pentzek, M., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2009). Is the Clock Drawing Test suited for diagnosing mild cognitive impairment? – Results of the German Study on Ageing, Cognition and Dementia in Primary Care Patients (AgeCoDe). *Dementia and Geriatric Cognitive Disorders*, 28, 365-372. (2,578)

Schäfer, I., Hansen, H., Schön, G., Maier, W., Höfels, S., Altiner, A., Fuchs, A., Gerlach, F. M., Petersen, J. J., Gensichen, J., Schulz, S., Riedel-Heller, S. G., Luppa, M., Weyerer, S., Werle, J., Bickel, H., Barth, K., König, H.-H., Rudolph, A., Wiese, B., Prokein, J., Bullinger, M., von dem Knesebeck, O., Eisele, M., Kaduszkiewicz, H., Wegscheider, K., van den Bussche, H. (2009). The German MultiCare-study: Patterns of multimorbidity in primary health care - protocol of a prospective cohort study. *BMC Health Services Research*, 11, 145. (1,660)

Heinrich, S., Luppa, M., Angermeyer, M. C., Riedel-Heller, S. G., König, H.-H. (2008). Service Utilization and Health Care Costs in the Advanced Elderly. *Value in Health*, 11, 611-620 (3,009)

Luppa, M., Heinrich, S., Matschinger, H., Sandholzer, H., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2008). Direct costs associated with depression in old age in Germany. *Journal of Affective Disorders*, 105, 195-204. (3,271)

Luppa, M., Heinrich, S., Luck, T. (2008). Psychiatrische und psychotherapeutische Versorgungsforschung in Deutschland – Eine Analyse der Publikationen in zwei deutschsprachigen Zeitschriften. *Zeitschrift für Psychiatrie, Psychologie und Psychotherapie*, 56, 203-210. (0,347)

Luppa, M., Heinrich, S., Matschinger, H., Hensel, A., Luck, T., Riedel-Heller, S. G., König, H.-H. (2008). Direct costs associated with Mild Cognitive Impairment in primary care. *International Journal of Geriatric Psychiatry*, 23, 963-971. (2,128)

Luppa, M., Heinrich, S., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2008). Health care costs associated with recognised and unrecognised depression in old age. *International Psychogeriatrics*, 20, 1219-1229. (2,098).

Weyerer, S., Eifflaender-Gorfer, S., Köhler, L., Jessen, F., Maier, W., Wiese, B., Angermeyer, M. C., Luppa, M., Mösch, E., Bickel, H. (2008). Prevalence and risk factors for depression in non-demented elderly primary care attenders. *Journal of Affective Disorders*, 111, 153-163. (3,271)

Luck, T., Luppa, M., Weber, S., Matschinger, H., Glaesmer, H., König, H.-H., Angermeyer, M. C., Riedel-Heller, S. G. (2008). Time until institutionalisation in incident dementia cases – Results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). *Neuroepidemiology*, 31, 100-108. (1,737)

Übersichtsarbeiten

Schladitz, K., Luppa, M., Riedel-Heller, S. G., & Loebner, M. (2023). Effectiveness of internet-based and mobile-based interventions for adults with overweight or obesity experiencing symptoms of depression: a systematic review protocol. *BMJ open*, 13(6), e067930.

Maier, A., Riedel-Heller, S. G., Pabst, A., Luppa, M. (2021). Risk factors and protective factors of depression in older people 65+. A systematic review. *PLOS ONE*, 16, e0251326. (2,740)

Sikorski, C., Luppa, M., Luck, T., Riedel-Heller, S. G. (2015). Weight stigma "gets under the skin"- evidence for an adapted psychological mediation framework: a systematic review. *Obesity (Silver Spring)*, 23, 266-276. (3,614)

Gühne, U., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2014). Collaborative and home based treatment for older adults with depression: a review of the literature. *Nervenarzt*, 85, 1363-1371. (0,862)

Gühne, U., Luppa, M., König, H.-H., Hautzinger, M., Riedel-Heller, S. G. (2014). Are psychotherapeutic interventions effective in late-life depression? a systematic review. *Psychiatrische Praxis*, 41, 415-423. (1,612)

Then, F. S., Luck, T., Luppa, M., Thinschmidt, M., Deckert, S., Nieuwenhuijsen, K., Seidler, A., Riedel-Heller, S. G. (2014). Systematic review of the effect of the psychosocial working environment on cognition and dementia. *Journal of Occupational and Environmental Medicine*, 71, 358-65. (3,267)

Schwarzbach, M., Luppa, M., Forstmeier, S., König, H.-H., Riedel-Heller, S. G. (2014). Social relations and depression in late life – A systematic review. *International Journal of Geriatric Psychiatry*, 29, 1-21 (2,977)

Büchtemann, D., Luppa, M., Bramesfeld, A., Riedel-Heller, S. G. (2012). Incidence of late-life depression: a systematic review. *Journal of Affective Disorders*, 142, 172-179. (3,295)

Luppa, M., Sikorski, C., Motzek, T., Konnopka, A., König, H.-H., Riedel-Heller, S.G. (2012). Health Service Utilization and Costs of Depressive Symptoms in Late Life – A Systematic Review. *Current Pharmaceutical Design*, 18, 5936-5957. (3,311)

Konnopka, A., Heinrich, S., Schäfer, R., Kaufmann, C., Luppa, M., Herzog, W., König, H.-H. (2012). Economics of Medically Unexplained Symptoms: A Systematic Review of the Literature. *Psychotherapy and Psychosomatics*, 81, 265-275. (7,230)

Sikorski, C., Luppa, M., Kaiser, M., Glaesmer, H., Schomerus, G., König, H.-H., Riedel-Heller, S. G. (2011). The Stigma of Obesity in the General Public and its Implications for Public Health - a Systematic Review. *BMC Public Health*, 11, 661. (1,997)

Lehnert, T., Heider, D., Leicht, H., Heinrich, S., Corrieri, S., Luppa, M., Riedel-Heller, S., König, H.-H. (2011). Review: health care utilization and costs of elderly persons with multiple chronic conditions. *Medical Care Research and Review*, 68, 387-420. (2,959)

Sikorski, C., Luppa, M., Kersting, A., König, H.-H., Riedel-Heller, S. G. (2011). Effektivität computer- und internetgestützter kognitiver Verhaltenstherapie bei Depression. Ein systematischer Literaturüberblick. *Psychiatrische Praxis*, 38, 61-68. (1,639)

Stein, J., Luppa, M., Brähler, E., König, H.-H., Riedel-Heller, S. G. (2010). The assessment of changes in cognitive functioning: Reliable Change Indices (RCIs) for neuropsychological instruments in the elderly. A Systematic Review. *Dementia and Geriatric Cognitive Disorders*, 29, 275-86. (2,455)

Luck, T., Luppa, M., Briel, S., Riedel-Heller, S. G. (2010). Incidence of Mild Cognitive Impairment. A systematic review. *Dementia and Geriatric Cognitive Disorders*, 29, 164-175. (2,455)

Luppa, M., Luck, T., Weyerer, S., König, H.-H., Brähler, E., Riedel-Heller, S. G. (2010). Prediction of institutionalisation in the elderly. A systematic review. *Age and Ageing*, 39, 31-38. (2,719)

Quentin, W., Riedel-Heller, S. G., Luppa, M., Rudolph, A., König, H.-H. (2010). Cost of illness studies of dementia: A systematic review focusing on stage-dependency of costs. *Acta Psychiatrica Scandinavica*, 121, 243-259. (3,795)

Ehreke, L., Luppa, M., König, H.-H. & Riedel-Heller S. G. (2009). Is the Clock Drawing Test a screening tool for the diagnosis of mild cognitive impairment? A systematic review. *International Psychogeriatrics*, 20, 1-8. (2,506)

Luppa, M., Luck, T., Brähler, E., König, H.-H., Riedel-Heller, S. G. (2008). Prediction of institutionalisation in dementia: a systematic review. *Dementia and Geriatric Cognitive Disorders*, 26, 65-78. (3,142)

Luppa, M., Heinrich, S., Angermeyer, M. C., König, H.-H., Riedel-Heller, S. G. (2007). Cost-of-illness studies of depression A systematic review. *Journal of Affective Disorders*, 98, 29-43. (3,144)

Stöbel-Richter, Y., Berth, H., Watzke, B., Luppa, M. (2007). Die Erfassung der sozialen Ungleichheit in empirischen Untersuchungen – eine Übersicht. *Psychotherapeut*, 6, 426-435. (1,011)

Watzke, B., Schulz, H., Luppa, M., Stöbel-Richter, Y. (2007). Welche integrativen und störungsspezifischen Behandlungsansätze sind Gegenstand wissenschaftlicher Beiträge? Eine Literaturübersicht zu psychotherapeutischen Verfahren in deutschsprachigen Zeitschriften. *Psychotherapie, Psychosomatik und Medizinische Psychologie*, 57, 452-461. (1,347)

Studienprotokolle

Welzel, F. D., Löbner, M., Quittschalle, J., Pabst, A., Luppa, M., Stein, J., Riedel-Heller, S. G. (2021). Loss and bereavement in late life (60+): Study protocol for a randomized controlled trial regarding an internet-based self-help intervention. *Internet Interventions*, 26, 100451. (5,338)

Luppa, M., Löbner, M., Pabst, A., Schlapke, C., Stein, J., Riedel-Heller, S. G. (2020). Effectiveness and feasibility of internet-based and mobile-based interventions for individuals experiencing bereavement: a systematic review protocol. *BMJ Open*, 10, e036034. (2,496)

Buchkapitel

Luppa, M., Riedel-Heller, S. G. (2020). Depressive Störungen im höheren Lebensalter. *Epidemiologie, Gesundheitsökonomie und Versorgungssituation*. In: Kolland, F, Dorner, T. E. (Hrsg.). *Gesundheitliche Lebensqualität im Alter - Implikationen für die Gesundheitsförderung*. Wein: Manz Verlag.

Sikorski, C., Luppa, M., Riedel-Heller, S. G. (2014). Innovative Versorgungsansätze zur Behandlung von Depression. In: Klauber J, Günster C, Gerste B, Robra BP, Schmacke N: *Versorgungs-Report 2013/2014. Schwerpunkt: Depression*. Stuttgart: Schattauer.

König, H.-H., Leicht, H., Rudolph, A., Luppa, M., Riedel-Heller, S. G., Quentin, W. (2011). Stadienspezifische Kosten der Demenz: Ergebnisse eines systematischen Literaturüberblicks. In: Dibelius, O., Maier, W. (Hrsg.). *Versorgungsforschung für demenziell erkrankte Menschen*. Stuttgart: Kohlhammer.

Luppa, M., Luck. T., Matschinger. H., König. H.-H., Riedel-Heller, S. G. (2011). *Institutionalisierung bei Demenzerkrankungen: Häufigkeit, Zeitpunkt und*

Einflussfaktoren von Heimübergängen. In: Dibelius, O., Maier, W. (Hrsg). Versorgungsforschung für demenziell erkrankte Menschen. Stuttgart: Kohlhammer.

Quentin, W., Riedel-Heller, S. G., Luppa, M., Leicht, H., König, H.-H. (2011). Cost-of-Illness Studies and Neuropsychiatric Symptoms of Dementia. In: McNamara, P. (Ed.). Dementia. Volume 1: History and Incidence. California, Praeger.

Luppa, M., Heinrich, S., Matschinger, H., König, H.-H., Riedel-Heller, S. G. (2010). Direkte Kosten von Leipziger Allgemeinanztpatienten mit depressiven Störungen im Alter – eine Krankheitskostenstudie. In: Stoppe, G. (Hrsg.). Report Versorgungsforschung: Die Versorgung psychisch kranker alter Menschen (Band 3). Deutscher Ärzteverlag.

Varia

Jung, F. U., Luppa, M., & Riedel-Heller, S. G. (2023). Arbeitszeit bei Ärzt:innen und Auswirkungen auf Gesundheit, Zufriedenheit und Gesundheitsversorgung [Physician working hours and effects on health, satisfaction and healthcare]. Zentralblatt für Arbeitsmedizin, Arbeitsschutz und Ergonomie, 1–7.

Zülke, A. E., Luppa, M., Köhler, S., Riedel-Heller, S. G. (2023) Was weiß die Bevölkerung über Risiko- und Schutzfaktoren für Demenz? Eine internationale Übersicht zum aktuellen Kenntnisstand in verschiedenen Ländern [What does the population know about risk and protective factors for dementia? An international review of the current state of knowledge in various countries]. Nervenarzt 94, 384–391. (1,297)

Luppa, M., Riedel-Heller, S. G. (2021). Carers' distress. International Psychogeriatrics, 33, 311-313. (2,940)

Gühne, U., Luppa, M., König, H.-H., Riedel-Heller, S. G. (2014). Collaborative and home based treatment for older adults with depression: a review of the literature. Nervenarzt, 85, 1363-1371. (0,862)

Riedel-Heller, SG, Luppa, M. (2013). Depression in late life - what does epidemiology add?. Psychiatrische Praxis, 40, 173-175. (1,618)

Röling, G., Sesselmann, Y., Fleischer, S., Beutner, K., Behrens, J., Luck, T., Luppa, M., Riedel-Heller, S. G. (2012). Handlungsanleitung für die Durchführung Präventiver Hausbesuche. Hallesche Beiträge zu den Gesundheits- und Pflegewissenschaften, 11, 1-80.

Stein, J., Luppa, M. (2012). Media Screen: Allgemeine Depressionsskala (ADS). Psychiatrische Praxis, 39, 302-304. (1,618)

Luck, T., Luppa, M., Riedel-Heller, S. G. (2012). Epidemiology of dementia – A current overview. Public Health Forum, 76, 20, 11-12. (0,081)

Riedel-Heller, S. G., Weyerer, S., König, H.-H., Luppa, M. (2012). Depression im Alter. Herausforderung fuer eine Gesellschaft der Langlebigen. Nervenarzt, 83, 1373-

1378. (0,681)

König, H.-H., Luppa, M., Riedel-Heller, S. G. (2010). Die Kosten der Depression und die Wirtschaftlichkeit ihrer Behandlung. Psychiatrische Praxis, 37, 213-15. (2,204)

Riedel-Heller, S. G., Luppa, M., König, H.-H. (2010). Institutionalisierung psychisch kranker alter Menschen. Psychiatrische Praxis, 37, 53-55. (2,204)

Luck, T., Luppa, M., Riedel-Heller, S. G. (2009). Institutionalisierung bei Demenz – Häufigkeit, Zeit und Einflussfaktoren. Monitor Versorgungsforschung, 3, 47-51.

Luppa, M., König, H.-H., Riedel-Heller, S. G. (2009). Kosten depressiver Störungen und Versorgungsimplicationen. neuro aktuell, 23, 29-32.

Luppa, M., König, H.-H., Riedel-Heller, S. G. (2008). Kostenfaktor Depression. Die Kosten depressiver Störungen und Implikationen für die Versorgung. Monitor Versorgungsforschung, 1, 31-34.

Luppa, M., König, H.-H., Riedel-Heller, S. G. (2007). Wirtschaftliche Folgen von Depressionen. Verhaltenstherapie und psychosoziale Praxis, 4, 923-927.

Luppa, M., Riedel-Heller, S. G., König, H.-H. (2007). Erhebliche wirtschaftliche Folgen. Produktionsausfälle und Minderung der Arbeitsleistung durch Depression. Gesellschaftspolitische Kommentare, 1, 15-17.

Riedel-Heller, S. G., Luppa, M., Angermeyer, M. C. (2004). Psychiatrische Epidemiologie in Deutschland. Stand der Forschung. Psychiatrische Praxis, 31, 288-297. (1,356)