

1. **Saur D**, Lange R, Baumgaertner A, Schraknepper V, Willmes K, Rijntjes M, Weiller C. Dynamics of language reorganization after stroke. *Brain* 2006; 129:1371-1384.
<https://doi.org/10.1093/brain/awl090>
2. **Saur D**, Kreher BW, Schnell S, Kümmeler D, Kellmeyer P, Vry M-S, Umarova R, Musso M, Glauche V, Abel S, Huber W, Rijntjes M, Hennig J, Weiller C. Ventral and dorsal pathways for language. *Proc Natl Acad Sci U S A* 2008; 105(45): 18035-18040.
<https://doi.org/10.1073/pnas.0805234105>
3. **Saur D**, Ronneberger O, Kümmeler D, Mader I, Weiller C, Klöppel, S. Early fMRI activations predict language outcome after stroke. *Brain* 2010; 133; 1252-1264.
<https://doi.org/10.1093/brain/awq021>
4. Kümmeler D, Hartwigsen G, Kellmeyer P, Glauche V, Mader I, Klöppel S, Suchan J, Karnath HO, Weiller C, **Saur D**. Damage to ventral and dorsal language pathways in acute aphasia. *Brain* 2013; 2: 619-629.
<https://doi.org/10.1093/brain/aws354>
5. Klingbeil J, Wawrzyniak M, Stockert A, Karnath HO, **Saur D**. Hippocampal diaschisis contributes to anosognosia for hemiplegia: evidence from lesion network-symptom mapping. *Neuroimage* 2020; 208: 116485.
<https://doi.org/10.1016/j.neuroimage.2019.116485>
6. Stockert A, Wawrzyniak M, Klingbeil J, Wrede K, Kümmeler D, Hartwigsen G, Kaller CP, Weiller C, **Saur D**. Dynamics of language reorganization after left temporo-parietal and frontal stroke. *Brain* 2020; 143(3) 844-861.
<https://doi.org/10.1093/brain/awaa023>
7. Hartwigsen G, Stockert A, Charpentier L, Wawrzyniak M, Klingbeil J, Wrede K, Obrig H, **Saur D**. Short-term modulation of the lesioned language network. *eLife* 2020; 9.
<https://doi.org/10.7554/eLife.54277>
8. Klingbeil J, Wawrzyniak M, Stockert A, Brandt ML, Schneider HR, Metelmann M, **Saur D**. Pathological laughter and crying: insights from lesion network-symptom-mapping. *Brain* 2021; 144: 3264-3276.
<https://doi.org/10.1093/brain/awab224>
9. Wawrzyniak M, Schneider HR, Klingbeil J, Stockert A, Hartwigsen G, Weiller C, **Saur D**. Resolution of diaschisis contributes to early recovery from post-stroke aphasia. *Neuroimage* 2022; 251:119001.
<https://doi.org/10.1016/j.neuroimage.2022.119001>
10. Stockert A, Hormig-Rauber S, Wawrzyniak M, Klingbeil J, Schneider HR, Prilich M, Schobe S, Hoffmann KT, **Saur D**. Involvement of thalamocortikal Networks in Patients with poststroke thalamic aphasia. *Neurology*, in press.
<https://doi.org/10.1212/WNL.00000000000201488>